

PATENT

Certificate of Mailing by "Express Mail"

"Express Mail" Mailing No. **EU972811728US** Date of Deposit: **August 20, 2003**
I hereby certify that this paper or fee is being deposited with the United States Postal Service
"Express Mail Post Office to Addressee" under 37 C.F.R. 1.10 on the date indicated above and
is addressed to Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450

Margaret A. Connor

(Typed or Printed Name of Person Mailing Paper or Fee)

Margaret A. Connor
(Signature of Person Mailing Paper or Fee)

SOLANUM BULBOCASTANUM LATE BLIGHT
RESISTANCE GENE AND USE THEREOF

Teruko Osumi
William R. Belknap
David R. Rockhold
Mary M. Maccree

SOLANUM BULBOCASTANUM LATE BLIGHT RESISTANCE
GENE AND USE THEREOF

CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] This application claims the benefit of U.S. Provisional Application No. 60/407,100, filed August 29, 2002. The disclosure of said provisional application is incorporated herein by reference in its entirety.

BACKGROUND OF THE INVENTION

1. Field of the Invention

[0002] The present invention is directed to pathogen resistance in plants. More particularly, the invention is directed to identification and use of a gene that provides resistance to late blight disease. Even more particularly, the invention is directed to a *Solanum bulbocastanum* late blight resistance gene, nucleic acid molecules encoding polypeptides which confer resistance to late blight, and methods of using the gene, including expression in plant cells to confer or enhance a plant's resistance to late blight.

2. Description of the Art

[0003] On a worldwide basis, late blight, caused by the fungus *Phytophthora infestans*, is the most important of potato diseases. Worldwide losses due to potato late blight are estimated to be about \$3 billion annually. Conservatively, *P. infestans* costs the potato industry in the United States \$200 to \$400 million annually.

[0004] Currently, late blight is controlled by application of fungicides. The cost of chemical control in the U.S., now applied in essentially all potato producing regions, is approximately \$100-\$200 per acre. Given that approximately 1.2 million acres are planted to potatoes annually in the U.S., the control costs alone are significant. In addition, in many years storage losses due to this pathogen are in the same range as the cost of control.

[0005] In the U.S., the recent migration from Mexico of highly aggressive and virulent new forms of *P. infestans* poses a serious threat to all potato producing regions. In particular, the presence of A2 mating type and fungicide resistant forms in field populations of the fungus limits producers' options in control practices.

[0006] *P. infestans* also causes late blight in other crops, including tomato, eggplant, and other solanaceous species. The new, aggressive strains of *P. infestans* also represent a serious threat to commercial tomato production.

[0007] Identification of a late blight resistance gene and development of transgenic plants resistant to *P. infestans*, is important goal in plant research to reduce crop losses and to reduce the need for fungicide application and costs of chemical control.

[0008] A wide variety of genetic loci that confer resistance to pathogens have been identified in plant species. These resistance loci often encode dominant resistance genes, or R genes. The R genes confer either vertical race-specific or horizontal nonspecific resistance to a pathogen (Plank, 1968). Vertical resistance is based upon an induced hypersensitive response in which the pathogen infection is contained by localized host cell death at infection sites. The mechanism for vertical resistance has been proposed to involve activation of the cell death response when a specific plant receptor (the R gene product) interacts with an elicitor produced by a corresponding Avr gene in the invading pathogen (Flor, 1971).

Pathogen races are defined by distinct Avr gene profiles and resistance results from the interaction between specific R gene and Avr gene products (the gene for gene interaction).

[0009] In contrast to vertical resistance, horizontal resistance generally involves multiple plant genes and provides a general, stable, pathogen resistance in a race-nonspecific manner. Horizontal resistance is not correlated with the hypersensitive response, involving instead limiting pathogen spread in the host. *Solanum bulbocastanum* contains a dominant R gene locus which confers horizontal resistance to *P. infestans* when introgressed into the cultivated potato (Naess *et al.*, 2000; Naess *et al.*, 2001).

[0010] Map-based cloning has been employed to identify a variety of R genes from crop plants (Ballvora *et al.*, 2002; Brueggeman *et al.*, 2002; Dixon *et al.*, 1996; Feuillet *et al.*, 1997; Lagudah *et al.*, 1997; Ori *et al.*, 1997; Yoshimura *et al.*, 1998).

SUMMARY OF THE INVENTION

[0011] We have now isolated a gene from the wild potato species *Solanum bulbocastanum* which confers horizontal resistance to *Phytophthora infestans*, the fungal pathogen that causes late blight disease. cDNA and genomic DNA sequences of the *Solanum bulbocastanum* late blight resistance gene, hereinafter denoted as *Sbul1*, are specifically exemplified herein (SEQ ID NO:1 and 3, respectively). The deduced amino acid sequence is shown in SEQ ID NO:2 and 4. The resistance protein is in the class of Nucleotide Binding Site-Leucine-Rich Repeat Proteins (NBS-LRRP), and the gene in *S. bulbocastanum* is flanked by related NBS-LRRP gene sequences.

[0012] DNA encoding the resistance protein has been introduced into potato plants and confers resistance to *P. infestans*. A comparison of the deduced amino acid sequence of *Sbul1*, which confers late blight resistance in transgenic plants, and the deduced amino acid sequence encoded by the *S. bulbocastanum* gene denoted herein as *Sbul2*, which does not confer resistance, reveals 101 differences between the two proteins over 989 residues, or 90% identity. A comparison of the nucleic acid sequences of *Sbul1* and *Sbul2* reveals 221 differences between the two genes over 3174 bp of coding sequence, or 93% identity.

[0013] Accordingly, the invention is directed to nucleic acid molecules encoding a pathogen resistance gene, the gene being characterized in that it encodes the amino acid sequence shown in SEQ ID NO:4, or an amino acid sequence showing greater than about 90% sequence identity with SEQ ID NO:4 and which encodes a polypeptide having ability to confer or enhance a plant's resistance to late blight. Exemplary nucleic acid molecules include the exemplified cDNA and genomic DNA sequences and nucleic acid sequences

PATENT

having greater than about 93% sequence identity with the coding domain of the exemplified sequences and which confer or enhance a plant's resistance to late blight.

[0014] The invention is also directed to recombinant nucleic acid molecules containing the sequences encoding the polypeptides which confer late blight resistance, including, for example, recombinant vectors, such as cloning, expression or transformation vectors.

[0015] Another aspect of the invention is the provision of cells which are transformed by the vectors or DNA sequences of the invention.

[0016] Methods of using the sequences are also encompassed by the invention. A particular use of the invention is the provision of plants or plant cells transformed with one or more nucleic acid sequences encoding a polypeptide which confers late blight resistance to provide plants having resistance to *P. infestans*, or to provide plants having enhanced resistance to *P. infestans* or related plant pathogens. Such plants include, for example, solanaceous plants. Prominent food crops are in the *Solanaceae* family. These include potato (*Solanum tuberosum*); tomato (*Lycopersicon*, e.g., *L. lycopersicum* and *L. esculentum*); pepper (*Capsicum*); eggplant (*Solanum melongena*). Most preferably, in the practice of the invention, the solanaceous plant is potato.

[0017] As described below, the locus containing the resistance gene was characterized by map-based cloning and chromosome walking using a *S. bulbocastanum* Bacterial Artificial Chromosome (BAC) library. The actual resistance gene was isolated using Polymerase Chain Reaction (PCR) as the allele of the locus which contains the gene was not represented in the library. Chimeric transgenes constructed with *Sbull* transcribed from a potato ubiquitin (*Ubi3*) promoter were introduced into a susceptible potato variety. Greenhouse tests confirmed that transgenic potato clones containing these transgenes are resistant to late blight.

[0018] Accordingly, it is an object of the invention to provide nucleic acid sequences encoding polypeptides that confer late blight resistance; isolated polypeptides having this

activity; recombinant nucleic acid molecules including expression vectors encoding the polypeptides; and cells harboring the recombinant nucleic acid molecules or expression vectors.

[0019] It is also an object of the invention to provide transformation vectors comprising a recombinant molecule, which vectors are effective for stably introducing the recombinant molecule into a plant.

[0020] It is also an object of the invention to provide methods of producing and using polypeptides conferring late blight resistance.

[0021] It is another object of the invention to provide transgenic plants having resistance to late blight or related pathogen, wherein the resistance is a result of expression of a recombinant nucleic acid molecule of the invention. An important aspect is the conferral of horizontal resistance to late blight, thereby providing general rather than race-specific control of the pathogen.

[0022] A further aspect of the invention is the provision of oligonucleotide probes capable of detecting a late blight resistance gene or functional equivalents thereof and the use of the probes to isolate nucleic acid sequences encoding a late blight resistance polypeptide or functional equivalent thereof.

[0023] A major impact of this invention on agriculture will be in controlling *P. infestans* in potatoes. The introduction of the resistance gene into cultivated potatoes would be expected to significantly reduce costs of chemical control, as well as providing a novel method for controlling fungicide resistant pathogen populations.

[0024] An additional application of this invention is controlling late blight in other solanaceous plants, for example, tomato production. The new, aggressive strains of *P. infestans* also represent a serious threat to commercial tomato production. Introduction of this resistance gene into tomato will result in significant savings in chemical control of the pathogen in this commodity.

[0025] Other objects and advantages of the invention will become readily apparent from the ensuing description.

BRIEF DESCRIPTION OF THE DRAWINGS

[0026] FIG. 1 shows the genetic map of the *S. bulbocastanum* late blight resistance gene locus. The approximate position of the locus is indicated by R. The positions of several RFLP markers relative to this locus are indicated. The relative positions of AFLP markers flanking the R gene are indicated.

[0027] FIG. 2 shows the assembly of an approximately 600 kb contig on *S. bulbocastanum* anchored by a BAC clone hybridizing to the RFLP marker CD60. BAC C29 was cloned by hybridization of filters to the labeled RFLP marker. BAC end-sequence analysis allowed design of specific primer pairs for both ends of the insert (F and R indicate forward and reverse). For each walk subsets of the BAC library were pooled and screened by PCR using these specific primers. BAC end-sequence analysis also revealed the position of members of a family of nucleotide binding site-leucine-rich repeat proteins (NBS-LRRP) indicated.

[0028] FIG. 3 shows the structure of the *S. bulbocastanum* chromosome 8 NBS-LRRP domain linked to late blight resistance. The domain contains six complete and three partial NBS-LRRP coding sequences. Only two of the six complete genes on the BAC contig, *Sbul2* and *Sbul3*, were found to encode uninterrupted open reading frames. The remaining four NBS-LRRP genes are interrupted by frame shift mutations (NBS Sal 37-1 and *Sbul1*) or stop codons (NBS Sal 37-3 and NBS 24K).

[0029] FIG. 4 shows the structure of the *Sbul1* transgenes. *Sbul1* genomic (SEQ ID NO:3) and cDNA (SEQ ID NO:1) sequences were fused to promoter and terminator sequences from the potato *Ubi3* gene (Garbarino *et al.*, 1994a; Garbarino *et al.*, 1994b).

[0030] FIG. 5 shows transgenic potatoes expressing *Sbul1* genomic and cDNA transgenes have improved resistance to *P. infestans* US8. Detached leaves of greenhouse-grown

PATENT

transgenic and control plants were inoculated with *P. infestans* and incubated for four days. Lesion size determined computationally (Bioquant Systems).

[0031] FIG. 6 shows a comparison of the deduced amino acid sequences of *Sbul1*, which confers late blight resistance in transgenic plants, and *Sbul2* which does not. Comparison reveals 101 differences between the two proteins over 989 residues, or 90% identity.

[0032] FIG. 7 shows a comparison of the nucleic acid sequences of *Sbul1*, which confers late blight resistance in transgenic plants, and *Sbul2* which does not. Comparison reveals 221 differences between the two genes over 3174 bp of coding sequence, or 93% identity

[0033] FIG. 8 shows potato lines transformed with the *Sbul1* genomic transgene have enhanced resistance to *P. infestans* US8 in intact plant assays.

BRIEF DESCRIPTION OF THE SEQUENCES

[0034] SEQ ID NO:1 shows the cDNA sequence of the *Solanum bulbocastanum* late blight resistance gene *Sbul1*. Sequence feature information: *Solanum bulbocastanum Sbul1* cDNA sequence: nucleotide 1 to 3193; coding region: nucleotide 52 to 3018; translation initiation codon: nucleotide 52 to 54; translation termination codon: nucleotide 3016 to 3018.

[0035] SEQ ID NO:2 shows the amino acid sequence encoded by SEQ ID NO:1.

[0036] SEQ ID NO:3 shows the DNA sequence of the active *Sbul1* gene, a PCR product using template DNA from a late blight-resistant back cross 3 potato line containing *S. bulbocastanum* DNA. The sequence contains a 412 bp intron. Sequence feature information: *Solanum bulbocastanum* genomic *Sbul1* sequence: nucleotide 1 to 3595; coding region: first coding domain : nucleotide 57 to 487; second coding domain: nucleotide 900 to 3435, wherein the 5' end of the second domain is linked to the 3' end of the first domain; intron: nucleotide 488 to 899; translation initiation codon: nucleotide 57 to 59; translation termination codon: nucleotide 3433 to 3435.

[0037] SEQ ID NO:4 shows the amino acid sequence encoded by SEQ ID NO:3.

PATENT

[0038] SEQ ID NO:5 shows the DNA sequence of the *Sbul2* gene. Sequence feature information: *Solanum bulbocastanum* genomic *Sbul2* sequence: nucleotide 1 to 3347; coding region: first coding domain: nucleotide 57 to 509; second coding domain: nucleotide 789 to 3347, wherein the 5' end of the second domain is linked to the 3' end of the first domain; intron: nucleotide 510 to 788; translation initiation codon: nucleotide 57 to 59; translation termination codon: nucleotide 3345 to 3347.

[0039] SEQ ID NO:6 shows the amino acid sequence encoded by SEQ ID NO:5.

[0040] SEQ ID NO:7 shows the DNA sequence of the *Sbul3* gene. Sequence feature information: *Solanum bulbocastanum* genomic *Sbul3* sequence: nucleotide 1 to 3222; coding region: first coding domain : nucleotide 58 to 528; second coding domain: nucleotide 691 to 3222, wherein the 5' end of the second domain is linked to the 3' end of the first domain; intron: nucleotide 529 to 690; translation initiation codon: nucleotide 58 to 60; translation termination codon: nucleotide 3220 to 3222.

[0041] SEQ ID NO:8 shows the amino acid sequence encoded by SEQ ID NO:7.

[0042] SEQ ID NO:9 shows the sequence of the chimeric *Ubi3/Sbull* genomic transgene. Sequence feature information: *Ubi3-Solanum bulbocastanum* genomic *Sbull-Ubi3* sequence: nucleotide 1 to 5028; Potato *Ubi3* promoter: nucleotide 1 to 953; *Solanum bulbocastanum* genomic *Sbull* gene: nucleotide 973 to 4566; coding region: first coding domain : nucleotide 1029 to 1459; second coding domain: nucleotide 1872 to 4407, wherein the 5' end of the second domain is linked to the 3' end of the first domain; intron: nucleotide 1460 to 1871; translation initiation codon: nucleotide 1029 to 1031; translation termination codon: nucleotide 4405 to 4407.

[0043] SEQ ID NO:10 shows the amino acid sequence encoded by SEQ ID NO:9.

DEFINITIONS

[0044] Unless defined otherwise, all technical and scientific terms used herein have the meaning commonly understood by a person skilled in the art to which this invention belongs.

PATENT

The following references provide one of skill with a general definition of many of the terms used in this invention: Singleton, *et al.*, DICTIONARY OF MICROBIOLOGY AND MOLECULAR BIOLOGY (2d ed. 1994); THE CAMBRIDGE DICTIONARY OF SCIENCE AND TECHNOLOGY (Walker ed., 1988); THE GLOSSARY OF GENETICS, 5TH ED., Rieger, R., *et al.* (eds.), Springer Verlag (1991); and Hale & Marham, THE HARPER COLLINS DICTIONARY OF BIOLOGY (1991). References providing standard molecular biological procedures include Sambrook *et al.* (1989) *Molecular Cloning*, second edition, Cold Spring Harbor Laboratory, Plainview, NY; *DNA Cloning*, Vols. I and II, IRL Press, Oxford, UK; and Hames and Higgins (eds.) (1985) *Nucleic Acid Hybridization*, IRL Press, Oxford, UK. References related to the manipulation and transformation of plant tissue include Kung and Arntzen (eds.) (1989) *Plant Biotechnology*, Butterworths, Stoneham, MA; R. A. Dixon (ed.) (1985) *Plant Cell Culture: A Practical Approach*, IRL Press, Oxford, UK; Schuler and Zielinski (1989) *Methods in Plant Molecular Biology*, Academic Press, San Diego, CA; Weissbach and Weissbach (eds.) (1988) Academic Press, San Diego, CA; I. Potrykus (1991) *Ann. Rev. Plant Physiol. Plant Mol. Biol.* 42:205; Weising *et al.* (1988) *Annu. Rev. Genet.* 22:421; van Wordragen *et al.* (1992) *Plant Mol. Biol. Rep.* 19:12; Davey *et al.* (1989) *Plant Mol. Biol.* 13:273; Walden and Schell (1990) *Eur. J. Biochem.* 192:563; Joersbo and Brunstedt (1991) *Physiol. Plant.* 81:256 and references cited in those references. The references cited in the list of References attached below also provides a description of the terms used herein. The following U.S. patents are incorporated herein by reference: U.S. Patents Nos. 5,589,339; 6,084,156; 6,225,527; 6,287,865; 6,225,532; 6,287,865; 6,100,449; and published application PCT/US00/23802 (WO 01/16353). All references cited in the present application are expressly incorporated by reference herein.

DETAILED DESCRIPTION OF THE INVENTION

[0045] We have now cloned a horizontal late blight resistance gene from *S. bulbocastanum*. As described below, the resistance gene *Sbull* was isolated by map-based cloning. In this technique the locus that confers resistance is mapped relative to amplified fragment length

polymorphism (AFLP) and restriction fragment length polymorphism (RFLP) markers that are linked to the resistance gene. Four markers that appeared to be most closely linked to the resistance gene were used to probe a *S. bulbocastanum* genomic bacterial artificial chromosome (BAC) library and hybridizing BAC clones identified. The resistance locus was obtained by chromosome walking from an original anchor clone. The resistance gene was identified by introduction of candidate genes from the locus into transgenic potato and screening for late blight resistance.

[0046] The present invention is directed to isolated nucleic acid sequences derived from a *S. bulbocastanum* gene which encode polypeptides which confer horizontal late blight resistance. The specifically exemplified nucleic acid sequences include the *Sbull1* cDNA sequence (SEQ ID NO:1) and the DNA sequence of the active *Sbull1* gene, a PCR product using template DNA from a late blight-resistant back cross 3 potato line containing *S. bulbocastanum* DNA (SEQ ID NO:3). The latter sequence contains a 412 bp intron. SEQ ID NO:4 shows the deduced amino acid sequence of the *Sbull1* gene product. The invention encompasses nucleic acid sequences which have greater than about 93% sequence identity with the coding domain of the exemplified sequences and encode a polypeptide which confers or enhances a plant's resistance to late blight. More preferably, the nucleic acid sequences have about 95% sequence identity with the coding domain of the exemplified sequences and encode a polypeptide which confers or enhances a plant's resistance to late blight. For purposes of the present invention, the degree of identity between two nucleic acid sequences is determined any method known in the art, for example by the Clustal method (Thompson *et al.* 1994), using ClustalW 1.7 or 1.8 (<http://dot.imgen.bcm.tmc.edu:9331/multi-align/multi-align.html>). Further, nucleic acid sequences which hybridize under high stringency conditions with the coding region of the DNA sequence of SEQ ID NO:1 or 3 and which encode a polypeptide having the activity defined above, are also encompassed by the present invention.

PATENT

[0047] The invention is directed to nucleic acid molecules encoding the amino acid sequence of SEQ ID NO:4, or an amino acid sequence showing greater than about 90% sequence identity with SEQ ID NO:4 and which encodes a polypeptide having ability to confer or enhance a plant's resistance to late blight. More preferably, the encoded amino acid sequence has at least about 95%, and most preferably at least about 97% sequence identity with SEQ ID NO:4 and has the activity defined above. For purposes of the present invention, the degree of identity between two amino acids is determined any method known in the art, for example, by the FASTA/FASTP method of Pearson (1990), using ALIGN (<http://dot.imgen.bcm.tmc.edu:9331/seq-search/alignment.html>), with the BLOSUM50 or PAM250 scoring matrix.

[0048] Preferably, the polypeptides of the present invention comprise an amino acid sequence of SEQ ID NO:4 or an amino acid sequence showing greater than about 90% sequence identity with SEQ ID NO:4 and which encodes a polypeptide having ability to confer or enhance a plant's resistance to late blight.

[0049] The degeneracy of the genetic code is well known to the art; therefore, synonymous coding sequences with one or more codon substitutions can be readily determined by one of ordinary skill in the art. Synonymous coding sequences vary from the exemplified coding sequences but encode proteins of the same amino acid sequences as those specifically provided herein. Examples of conservative substitutions are within the groups of basic amino acids (such as arginine, lysine and histidine), acidic amino acids (such as glutamic acid and aspartic acid), polar amino acids (such as glutamine and asparagine), hydrophobic amino acids (such as leucine isoleucine and valine), aromatic amino acids (such as phenylalanine, tryptophan and tyrosine), and small amino acids (such as glycine, alanine, serine, threonine and methionine). Amino acid substitutions which do not generally alter the specific activity are known in the art as described, for example, by H. Neurath and R. L. Hill, 1979, *In, The Proteins*, Academic Press, New York. The most commonly occurring exchanges are Ala/Ser,

PATENT

Val/Ile, Asp/Glu, Thr/Ser, Ala/Gly, Ala/Thr, Ser/Asn, Ala/Val, Ser/Gly, Tyr/Phe, Ala/Pro, Lys/Arg, Asp/Asn, Leu/Ile, Leu/Val, Ala/Glu, and Asp/Gly as well as these in reverse.

[0050] The present invention also relates to recombinant expression vectors comprising a nucleic acid sequence of the present invention, a promoter, and transcriptional and translational stop signals.

[0051] The present invention also relates to recombinant host cells, comprising a nucleic acid sequence of the invention, which are advantageously used in the recombinant production of the polypeptides. Preparation of transformed host cells and cloning methods are described by U.S. Patent No. 5,374,540, which is incorporated herein by reference.

[0052] Preparation of Transgenic Plants: The transgenic plant or plant cell expressing an RNA transcript or polypeptide of the present invention may be constructed in accordance with methods known in the art. In brief, the plant or plant cell is constructed by incorporating one or more expression constructs encoding a polypeptide of the present invention into the plant host genome and propagating the resulting modified plant or plant cell into a transgenic plant or plant cell.

[0053] As discussed above, a particular use of the invention is the provision of plants or plant cells transformed with a DNA sequence encoding an amino acid sequence which confers resistance to late blight or related pathogens.

[0054] Another use of the invention is as probes and primers capable of detecting a late blight resistance gene or functional equivalent thereof in fungi of the genus *Phytophthora*. Using the nucleic acid sequences of the invention facilitates the isolation of homologous genes from hosts to obtain genes which protect host cells, including fungi and plants against other fungal pathogens.

EXAMPLES

[0055] The following examples are intended only to further illustrate the invention and are not intended to limit the scope of the invention.

Map-based cloning of the *S. bulbocastanum* late blight resistance gene (*Sbull*)

[0056] *S. bulbocastanum* DNA was introgressed into potato by somatic fusion at the University of Wisconsin (Naess *et al.*, 2001). Fertile progeny were then back crossed to potato. The position of the *S. bulbocastanum* late blight resistance gene locus was mapped using a back-cross 3 population segregating for *P. infestans* resistance using a combination of AFLP (Vos *et al.*, 1995) and RFLP techniques. The late blight resistance locus maps to chromosome 8 (Naess *et al.*, 2001). The segregating population was subjected to AFLP mapping, exhaustion of the commercially available primer/enzyme sets resulted in identification of over 400 polymorphic bands. RFLP mapping was also employed, the population was screened with a variety of chromosome 8 markers. The relative positions of the AFLP and RFLP markers closest to the *Sbull* locus are shown in FIG. 1. The clustering of these markers, together with the failure of AFLP to generate a marker within the flanking RFLP probes (CD60 and TG261) suggested that the resistance locus is located in an area of chromosome 8 with high rates of recombination resulting in very different genetic and physical maps. This interpretation suggested that additional mapping was unnecessary, and four RFLP markers (TG282, TG505, CD60, PPOIII) were selected to probe a *S. bulbocastanum* BAC library (Song *et al.*, 2000).

Identification of Candidate *Sbull* genes.

[0057] BAC clones corresponding to each of the four RFLP markers were isolated and used to anchor PCR-based chromosome walking (FIG. 1). BAC end-sequences were used to generate specific primer pairs for screening of pooled BAC clones by PCR (Cai *et al.*, 1995). The assembly of an approximately 600 kb contig proximal to the CD60 RFLP marker on *S. bulbocastanum* chromosome 8 is shown in FIG. 2. Computational (BLAST) alignment of the end sequences of BAC isolates C29F2F2R1 and C29F2F2R2 with the available database (Altschul *et al.*, 1990) indicated the presence of sequences encoding nucleotide binding site-leucine-rich repeat proteins (NBS-LRRPs) similar to previously identified R genes (Ballvora *et al.*, 2002; Lagudah *et al.*, 1997; Simons *et al.*, 1998; Yoshimura *et al.*, 1998). Primers

specific to the NBS-LRRP locus on the contig in FIG. 2 were employed in PCR screening of genomic DNA from the original population segregating for late blight resistance, and this locus was found to be linked to the resistance phenotype.

[0058] An approximately 75 kb region containing six complete NBS-LRRP genes was characterized. As shown in FIG. 3, four of the six complete genes were found to represent pseudogenes, with coding sequences interrupted by either frame shift mutations or stop codons. These data suggested that late blight resistance at this locus was associated with *Sbul2* and/or *Sbul3* expression.

Identification of the *Sbul1* late blight resistance gene.

[0059] Experiments to determine the efficacy of either *Sbul2* or *Sbul3* (FIG. 3) in conferring late blight resistance were based on mobilization of these genes plus at least 3 kb of 5' and 3' flanking sequence into susceptible potatoes by *Agrobacterium*-mediated transformation. *Sbul2* or *Sbul3* and flanking sequences were mobilized into a binary transformation vector pCGN1547 (McBride *et al.*, 1990). These binary vector constructs were used to introduce the *Sbul2* or *Sbul3* genes into potato varieties Lenape (Akeley *et al.*, 1968) and Atlantic (Webb *et al.*, 1978) by a standard transformation/selection protocol (Snyder *et al.*, 1993). Transgenic potato plants containing either the *Sbul2* or *Sbul3* genes were screened for resistance to late blight by detached leaf assay (Trognitz *et al.*, 1995). Neither the *Sbul2* or *Sbul3* genes conferred resistance to *P. infestans*.

[0060] The similarity of the NBS-LRRPs on the *S. bulbocastanum* contig (FIG. 3) to known disease resistance genes is significant. A BLAST database search (Altschul *et al.*, 1990) using the deduced amino acid sequence of *Sbul2* returns seven putative resistance genes from *Arabidopsis* at the highest identity ($P(N) < 10^{-120}$) followed by the *I2 Fusarium oxysporum* resistance gene from tomato (Simons *et al.*, 1998) ($P(N) < 10^{-108}$). In addition, this PCR probes from this locus indicate linkage to the resistance gene in the segregating population. It therefore appeared possible that one or more of the four pseudogenes present

on the *S. bulbocastanum* contig (FIG. 3) represented an inactive allele of a gene active on the other chromosome of this diploid species. Specific primers were prepared to the *Sbul1*, *Sbul2*, and *Sbul3* genes on the locus, and RACE (Rapid Amplification of cDNA Ends)-PCR was employed to amplify potential mRNAs from polyA⁺ RNA prepared from *P. infestans*-infected *S. bulbocastanum* leaves. Messenger RNA products corresponding to *Sbul1*, *Sbul2* and *Sbul3* were amplified. This suggested that active *Sbul1* was heterozygous in *S. bulbocastanum*, with one allele active and the other interrupted by a frame shift mutation (Helgeson *et al.*, 1988). PCR amplification of *Sbul1* using genomic DNA from a late blight-resistant BC3 line as a template generated an amplified product encoding a mRNA essentially identical to the *Sbul1* cDNA (SEQ ID NO:3).

[0061] The DNA sequence of the active *Sbul1* cDNA is shown in SEQ ID NO:1. The deduced amino acid sequence is shown in SEQ ID NO:2. The DNA sequence of active *Sbul1* gene, a PCR product from *S. bulbocastanum*-containing potato genomic DNA, containing a 412 bp intron is shown in SEQ ID NO:3. The deduced amino acid sequence of the *Sbul1* gene product is shown in SEQ ID NO:4. The DNA sequence of the *Sbul2* gene is shown in SEQ ID NO:5, and the deduced *Sbul2* amino acid sequence is shown in SEQ ID NO:6. The DNA sequence of the *Sbul3* gene is shown in SEQ ID NO:7, and the deduced *Sbul3* amino acid sequence is shown in SEQ ID NO:8.

Expression of *Sbul1* in transgenic plants

[0062] In order to express *Sbul1* in transgenic plants two chimeric transgenes were constructed. Transcription of the *Sbul1* gene is directed from the potato *Ubi3* promoter, which will result in constitutive moderate-level expression (Garbarino *et al.*, 1994a; Garbarino *et al.*, 1994b). The *Ubi3* polyadenylation signal was fused to the 3' end of each sequence (FIG. 4).

[0063] The sequence of the genomic chimeric transgene is shown in SEQ ID NO:9. The transgenes shown in FIG. 4 were mobilized into the binary transformation vector pBINPLUS-

ARS. This vector is a version of the pBINPLUS vector (Van Engelen *et al.*, 1995) modified in our laboratory by replacement of selectable marker transcriptional control sequences (CaMV35S promoter, NOS terminator) with a promoter and terminator derived from the potato *Ubi3* gene (Garbarino *et al.*, 1994a). These binary vector constructs were used to introduce the transgenes into potato varieties Lenape (Akeley *et al.*, 1968) and Atlantic (Webb *et al.*, 1978) by a standard transformation/selection protocol (Snyder *et al.*, 1993). Transgenic potato plants were screened for resistance to late blight by detached leaf assay (Trognitz *et al.*, 1995).

Greenhouse assay of late blight resistance of transgenic potatoes expressing *Sbul1* transgenes

[0064] To assay for late blight resistance fully developed leaves from greenhouse-grown plants were detached. Inocula were obtained from two-week-old cultures of *P. infestans* (strain US8, Florida isolate) grown on rye agar. Inoculations were made by placing a 10ul droplet of a sporangial suspension (4×10^4 ml) that had been incubated at 8° C for 2.5 hours (to liberate zoospores) on both sides of the midrib of the abaxial surface. The inoculated leaflets were placed in petri dishes containing moistened filter paper to maintain 100% relative humidity. Inoculated material was incubated for 1 day at 15°C in darkness, then for four days at 15°C, 16-hour/day photoperiod ($400 \text{ E} \cdot \text{m}^{-2} \cdot \text{S}^{-1}$). A computer-driven image analysis system (Bioquant IV, R and M Biometrics, Nashville, TN) was used to obtain measurements of lesions. The lesion diameter was determined by projecting the whole leaves onto a grid lining the Bioquant Digitizing Pad. The digitizing pad was coupled with an IBM PC and measurements were generated using Bioquant Systems software.

[0065] As shown in FIG. 5, both the *Sbul1* genomic and cDNA transgenes conferred resistance to *P. infestans* in transgenic potatoes. As shown in FIG. 6, the deduced amino acid sequence of the *Sbul2* gene, which does not confer resistance, has 90% identity to the *Sbul1* deduced amino acid sequence. As shown in FIG. 7, the nucleic acid sequences of the *Sbul1* and *Sbul2* coding domains are 93% identical.

[0066] The data presented in FIG. 5 shows that *Sbul1*, when introduced into susceptible potato varieties, is capable of conferring resistance to late blight. While the *Sbul2* and *Sbul3* genes do not, individually, confer a resistant phenotype, this does not preclude a role for these gene products in enhancing *Sbul1*-mediated resistance originating from this locus.

Whole-plant glasshouse test of late blight resistance of potato plants transformed with *Sbul1*.

[0067] To assay for late blight resistance, transgenic and control tubers were planted in 6 inch pots and grown 16 hr light and 8 hr dark photoperiod using high pressure sodium lamps as supplemental lighting. Transgenic lines used in these experiments contained the genomic *Sbul1* transgene (SEQ ID NO:9). Inocula were obtained from cultures of *P. infestans* (strain MD-02-pet-1 an A2, US-8 genotype) grown in lima bean media in the dark at room temperature. After two weeks of incubation, the plates were flooded 2x with sterile water and scraped lightly using an L-shaped glass or plastic rod to collect sporangia. The liquid from the plates were filtered into a 1 liter glass beaker using two layers of cheesecloth. The total volume was roughly estimated and sporangia was counted using a hemacytometer. Using sterile water, the volume of the inoculum was adjusted that gave a final count of 5,000 sporangia/ml. The inoculum was transferred into a sprayer (approximately 2 ml/sec) and incubated at 4°C for 1 hour followed by room temperature incubation for 30 minutes.

[0068] The whole-plant glasshouse test described by Stewart et al. (1983) was used to determine which of the plants were resistant to *P. infestans*. Plants of each clone in flower bud were inoculated with *P. infestans*. Each plant was scored daily using Malcolmson's scoring scale of increasing resistance (Cruickshank et al., 1982) starting 7 days after inoculation, and plants of each clone compared. As shown in FIG. 8, two of the transgenic lines exhibited no infection 24 days after inoculation, six additional transgenic lines had intermediate levels of resistance.

Description of Plasmids

[0069] The plasmid pBT1596 consists of the *Sbull* genomic transgene shown in SEQ ID NO:9 inserted into the multiple cloning site of the binary transformation vector pBINPLUS-ARS. The plasmid pBT1593 consists of the *Sbull* cDNA sequence (SEQ ID NO:1) inserted between the potato *Ubi3* promoter and terminator sequences indicated in SEQ ID NO:9 in the multiple cloning site of the binary transformation vector pBINPLUS-ARS.

Statement of Deposit

[0070] The plasmids were introduced into the host *Escherichia coli* DH5a and the transformed *Escherichia coli* strains were deposited August 18, 2003 under terms of the Budapest Treaty with Agricultural Research Service Culture Collection (NRRL) National Center for Agricultural Utilization Research, Agricultural Research Service, U.S. Department of Agriculture, 1815 North University Street, Peoria, Illinois 61604 USA and given the following accession numbers:

<u>Plasmid</u>	<u>Accession No.</u>	<u>SEQ ID NO</u>
pBT1596	NRRL B-30685	SEQ ID NO:9
pBT1593	NRRL B-30686	SEQ ID NO:1

[0071] It is understood that the foregoing detailed description is given merely by way of illustration and that modification and variations may be made within, without departing from the spirit and scope of the invention. All publications, patents, and patent applications cited herein are hereby incorporated by reference in their entirety.

References

- Akeley, R.V., Mills, W.R., Cunningham, C.E., and Watts, J. 1968. Lenape: a new potato variety high in solids and chipping quality. *American Potato Journal* 45: 142-151.
- Altschul, S.F., Gish, W., Miller, W., Myers, E.W., and Lipman, D.J. 1990. Basic local alignment search tool. *Journal of Molecular Biology* 215: 403-410.
- Ballvora, A., Ercolano, M.R., Weiss, J., Meksem, K., Bormann, C.A., Oberhagemann, P., Salamini, F., and Gebhardt, C. 2002. The R1 gene for potato resistance to late blight (*Phytophthora infestans*) belongs to the leucine zipper/NBS/LRR class of plant resistance genes. *Plant J* 30: 361-371.
- Brueggeman, R., Rostoks, N., Kudrna, D., Kilian, A., Han, F., Chen, J., Druka, A., Steffenson, B., and Kleinhofs, A. 2002. The barley stem rust-resistance gene Rpg1 is a novel disease-resistance gene with homology to receptor kinases. *Proc Natl Acad Sci U S A* 99: 9328-9333.
- Cai, L., Taylor, J.F., Wing, R.A., Gallagher, D.S., Woo, S.S., and Davis, S.K. 1995. Construction and characterization of a bovine bacterial artificial chromosome library. *Genomics* 29: 413-425.
- Cruickshank, G., Stewart, H.E., Wastie, R.L. 1982. An illustrated assessment key for foliage blight of potatoes. *Potato Research* 25, 213-214.
- Dixon, M.S., Jones, D.A., Keddie, J.S., Thomas, C.M., Harrison, K., and Jones, J.D. 1996. The tomato Cf-2 disease resistance locus comprises two functional genes encoding leucine-rich repeat proteins. *Cell* 84: 451-459.
- Feuillet, C., Schachermayr, G., and Keller, B. 1997. Molecular cloning of a new receptor-like kinase gene encoded at the Lr10 disease resistance locus of wheat. *Plant J* 11: 45-52.
- Flor, H.H. 1971. Current status of the gene-for-gene concept. *Annual Reviews of Phytopathology* 9: 275-296.

- Garbarino, J.E., and Belknap, W.R. 1994a. Isolation of a ubiquitin-ribosomal protein gene (ubi3) from potato and expression of its promoter in transgenic plants. *Plant Mol Biol* 24: 119-127.
- Garbarino, J.E., and Belknap, W.R. 1994b. Use of ubiquitin promoters for transgene expression in potato. In W. D. Park [ed.], *Molecular and Cellular Biology of the Potato*, Second Edition, 173-185. CAB International, Wallingford, UK.
- Helgeson, J.P., Pohlman, J.D., Austin, S., Haberlach, G.T., Wielgus, S.M., Ronis, D., Zambolim, L., Tooley, P., McGrath, J.M., James, R.V., and Stevenson, W.R. 1988. Somatic hybrids between *Solanum bulbocastanum* and potato: a new source of resistance to late blight. *Theor Appl Genet* 96: 738-742.
- Lagudah, E.S., Moullet, O., and Appels, R. 1997. Map-based cloning of a gene sequence encoding a nucleotide-binding domain and a leucine-rich region at the Cre3 nematode resistance locus of wheat. *Genome* 40: 659-665.
- McBride, K.E., and Summerfelt, K.R. 1990. Improved binary vectors for *Agrobacterium*-mediated plant transformation. *Plant Mol Biol* 14: 269-276.
- Naess, S.K., Bradeen, J.M., Wielgus, S.M., Haberlach, G.T., McGrath, J.M., and Helgeson, J.P. 2000. Resistance to late blight in *Solanum bulbocastanum* is mapped to Chromosome 8. *Theo Appl Genet* 101.
- Naess, S.K., Bradeen, J.M., Wielgus, S.M., Haberlach, G.T., McGrath, J.M., and Helgeson, J.P. 2001. Analysis of the introgression of *Solanum bulbocastanum* DNA into potato breeding lines. *Mol Genet Genomics* 265: 694-704.
- Ori, N., Eshed, Y., Paran, I., Presting, G., Aviv, D., Tanksley, S., Zamir, D., and Fluhr, R. 1997. The I2C family from the wilt disease resistance locus I2 belongs to the nucleotide binding, leucine-rich repeat superfamily of plant resistance genes. *Plant Cell* 9: 521-532.
- Pearson, W.R. 1990. Rapid and sensitive sequence comparison with FASTP and FASTA. *Methods Enzymology* 183:63-98.

PATENT

- Plank, J.E.v.d. 1968. *Disease resistance in plants*. Academic, New York.
- Simons, G., Groenendijk, J., Wijbrandi, J., Reijans, M., Groenen, J., Diergaarde, P., Van der Lee, T., Bleeker, M., Onstenk, J., de Both, M., Haring, M., Mes, J., Cornelissen, B., Zabeau, M., and Vos, P. 1998. Dissection of the fusarium I2 gene cluster in tomato reveals six homologs and one active gene copy. *Plant Cell* 10: 1055-1068.
- Snyder, G.W., and Belknap, W.R. 1993. A modified method for routine *Agrobacterium*-mediated transformation of *in vitro* grown potato microtubers. *Plant Cell Reports* 12: 324-327.
- Song, J., Dong, F., and Jiang, J. 2000. Construction of a bacterial artificial chromosome (BAC) library for potato molecular cytogenetics research. *Genome* 43: 199-204.
- Stewart, H.E., Flavelle, P.H., McCalmont, D.C., Wastie, R.L.. 1983. Correlation between glasshouse and field tests for resistance to foliage blight caused by *Phytophthora infestans*. *Potato Research* 26, 41.
- Thompson, J.D., Higgins, D.G., and Gibson, T.J. 1994. CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, positions-specific gap penalties and weight matrix choice. *Nucl Acids Res* 22: 4673-4680.
- Trognitz, B.R., Chacón, G., Pinedo, H., and M., E. 1995. Screening for R genes causing race-specific resistance to late blight in wild potato species. *Am Potato J* 72: 662-670.
- van Engelen, F.A., Molthoff, J.W., Conner, A.J., Nap, J.P., Pereira, A., and Stiekema, W.J. 1995. pBINPLUS - an Improved Plant Transformation Vector Based On pBIN19. *Transgenic Research* 4: 288-290.
- Vos, P., Hogers, R., Bleeker, M., Reijans, M., van de Lee, T., Hornes, M., Frijters, A., Pot, J., Peleman, J., and Kuiper, M. 1995. AFLP: a new technique for DNA fingerprinting. *Nucleic Acids Res* 23: 4407-4414.

PATENT

- Webb, R.E., Wilson, D.R., Shumaker, J.R., Graves, B., Henninger, M.R., Watts, J., Frank, J.A., and Murphy, H.J. 1978. "Atlantic": A new potato variety with high solids, good processing quality, and resistance to pests. *Amer Potato J* 55: 141-146.
- Yoshimura, S., Yamanouchi, U., Katayose, Y., Toki, S., Wang, Z.X., Kono, I., Kurata, N., Yano, M., Iwata, N., and Sasaki, T. 1998. Expression of Xa1, a bacterial blight-resistance gene in rice, is induced by bacterial inoculation. *Proc Natl Acad Sci U S A* 95: 1663-1668.

SEQUENCE LISTING

<110> Oosumi et al., Teruko
 <120> Solanum Bulbocastanum Late Blight Resistance Gene and Use Thereof
 <130> 0155.02
 <150> 60/407,100
 <151> 2002-08-29
 <160> 10
 <170> PatentIn version 3.2
 <210> 1
 <211> 3193
 <212> DNA
 <213> Solanum bulbocastanum
 <220>
 <221> CDS
 <222> (52)..(3018)
 <400> 1
 atcttacttc atttcaaaaa atatagattc attgcgtact cacaatactc t atg gct 57
 Met Ala
 1
 gaa gct ttc ctt caa gtt ctg tta gac aat ctg act tgt ttc atc caa 105
 Glu Ala Phe Leu Gln Val Leu Leu Asp Asn Leu Thr Cys Phe Ile Gln
 5 10 15
 ggg gaa ctt gga ttg att ctt ggt ttt aag gat gag ttc gaa aag ctt 153
 Gly Glu Leu Gly Leu Ile Leu Gly Phe Lys Asp Glu Phe Glu Lys Leu
 20 25 30
 caa agc acg ttt act aca atc caa gct gtg cta gaa gat gct cag aag 201
 Gln Ser Thr Phe Thr Thr Ile Gln Ala Val Leu Glu Asp Ala Gln Lys
 35 40 45 50
 aag caa ttg aag gac aag gca ata gaa aat tgg ttg cag aaa ctc aat 249
 Lys Gln Leu Lys Asp Lys Ala Ile Glu Asn Trp Leu Gln Lys Leu Asn
 55 60 65
 gct gct gca tat gag gct gat gac atc ttg gac gaa tgt aaa act gag 297
 Ala Ala Ala Tyr Glu Ala Asp Asp Ile Leu Asp Glu Cys Lys Thr Glu
 70 75 80
 gca cca att aga cag aag aag aac aaa tat ggg tgt tat cat cca aac 345
 Ala Pro Ile Arg Gln Lys Lys Asn Lys Tyr Gly Cys Tyr His Pro Asn
 85 90 95
 gtt atc act ttt cgt cac aag att ggg aaa agg atg aaa aag att atg 393
 Val Ile Thr Phe Arg His Lys Ile Gly Lys Arg Met Lys Lys Ile Met
 100 105 110
 gag aaa cta gat gta att gca gcg gaa cga att aag ttt cat ttg gat 441
 Glu Lys Leu Asp Val Ile Ala Ala Glu Arg Ile Lys Phe His Leu Asp
 115 120 125 130

gaa agg act ata gag aga caa gtt gct aca cgc caa aca ggt ttt gtt Glu Arg Thr Ile Glu Arg Gln Val Ala Thr Arg Gln Thr Gly Phe Val 135 140 145	489
ttg aat gaa cca caa gtt tat gga aga gac aaa gaa aag gac gag ata Leu Asn Glu Pro Gln Val Tyr Gly Arg Asp Lys Glu Lys Asp Glu Ile 150 155 160	537
gtg aaa atc ctg ata aac aat gtt agc aat gcc caa aca ctt cca gtc Val Lys Ile Leu Ile Asn Asn Val Ser Asn Ala Gln Thr Leu Pro Val 165 170 175	585
ctc cca ata ctt ggt atg ggg gga cta gga aag acg act ctt gcc caa Leu Pro Ile Leu Gly Met Gly Gly Leu Gly Lys Thr Thr Leu Ala Gln 180 185 190	633
atg gtc ttc aat gat cag aga gta att gag cat ttc cat ccc aaa ata Met Val Phe Asn Asp Gln Arg Val Ile Glu His Phe His Pro Lys Ile 195 200 205 210	681
tgg att tgt gtc tcg gaa gat ttt aat gag aag agg ttg ata aag gaa Trp Ile Cys Val Ser Glu Asp Phe Asn Glu Lys Arg Leu Ile Lys Glu 215 220 225	729
att gta gaa tct att gaa gaa aag tca ctt ggt ggc atg gac ttg gct Ile Val Glu Ser Ile Glu Glu Lys Ser Leu Gly Gly Met Asp Leu Ala 230 235 240	777
cca ctt caa aag aag ctt cgg gac ttg ctg aat gga aaa aaa tat ttg Pro Leu Gln Lys Lys Leu Arg Asp Leu Leu Asn Gly Lys Lys Tyr Leu 245 250 255	825
ctc gtc tta gat gat gtt tgg aat gaa gat caa gat aag tgg gct aag Leu Val Leu Asp Asp Val Trp Asn Glu Asp Gln Asp Lys Trp Ala Lys 260 265 270	873
tta aga caa gtc ttg aag gtt gga gca agt ggc gct tct gtt cta acc Leu Arg Gln Val Leu Lys Val Gly Ala Ser Gly Ala Ser Val Leu Thr 275 280 285 290	921
act act cgt ctt gaa aag gtt gga tca att atg gga aca ttg caa cca Thr Thr Arg Leu Glu Lys Val Gly Ser Ile Met Gly Thr Leu Gln Pro 295 300 305	969
tat gaa ttg tca aat ttg tct caa gaa gat tgt tgg ttg ttg ttc atg Tyr Glu Leu Ser Asn Leu Ser Gln Glu Asp Cys Trp Leu Leu Phe Met 310 315 320	1017
caa cgt gca ttt ggg cac caa gaa gaa ata aat ctt aat ctt gtg gct Gln Arg Ala Phe Gly His Gln Glu Glu Ile Asn Leu Asn Leu Val Ala 325 330 335	1065
atc gga aag gag att gtg aaa aaa tgt ggt ggt gtg cct cta gca gct Ile Gly Lys Glu Ile Val Lys Lys Cys Gly Gly Val Pro Leu Ala Ala 340 345 350	1113
aaa act ctt gga ggt att ttg cgc ttt aag aga gaa gaa aga cag tgg Lys Thr Leu Gly Gly Ile Leu Arg Phe Lys Arg Glu Glu Arg Gln Trp 355 360 365 370	1161

gaa cat gtg aga gat agt gag att tgg aaa ttg cct caa gaa gaa agt	1209
Glu His Val Arg Asp Ser Glu Ile Trp Lys Leu Pro Gln Glu Glu Ser	
375 380 385	
tct att ctg cct gcc ctg aga ctt agt tac cat cac ctt cca ctt gat	1257
Ser Ile Leu Pro Ala Leu Arg Leu Ser Tyr His His Leu Pro Leu Asp	
390 395 400	
ttg aga caa tgc ttt aca tat tgt gca gta ttc cca aag gat acc gaa	1305
Leu Arg Gln Cys Phe Thr Tyr Cys Ala Val Phe Pro Lys Asp Thr Glu	
405 410 415	
atg gaa aag gga aat cta atc tct ctc tgg atg gca cat ggt ttt att	1353
Met Glu Lys Gly Asn Leu Ile Ser Leu Trp Met Ala His Gly Phe Ile	
420 425 430	
tta tcg aaa gga aac ttg gag cta gag aat gta ggt aat gaa gta tgg	1401
Leu Ser Lys Gly Asn Leu Glu Leu Glu Asn Val Gly Asn Glu Val Trp	
435 440 445 450	
aat gaa tta tac ttg agg tct ttc ttc caa gag att gaa gtt aaa tct	1449
Asn Glu Leu Tyr Leu Arg Ser Phe Phe Gln Glu Ile Glu Val Lys Ser	
455 460 465	
ggt caa act tat ttc aag atg cat gat ctc att cat gat ctg gca aca	1497
Gly Gln Thr Tyr Phe Lys Met His Asp Leu Ile His Asp Leu Ala Thr	
470 475 480	
tct cta ttt tcg gca agc aca tca agc agc aat atc cga gaa ata att	1545
Ser Leu Phe Ser Ala Ser Thr Ser Ser Ser Asn Ile Arg Glu Ile Ile	
485 490 495	
gta gaa aat tac ata cat atg atg tcc att ggt ttc act aaa gtg gta	1593
Val Glu Asn Tyr Ile His Met Met Ser Ile Gly Phe Thr Lys Val Val	
500 505 510	
tct tct tac tct ctt tcc cac ttg cag aag ttt gtc tcg ttg agg gtg	1641
Ser Ser Tyr Ser Leu Ser His Leu Gln Lys Phe Val Ser Leu Arg Val	
515 520 525 530	
ctt aat cta agt gac ata aaa ctt aag cag tta ccg tct tcc att gga	1689
Leu Asn Leu Ser Asp Ile Lys Leu Lys Gln Leu Pro Ser Ser Ile Gly	
535 540 545	
gat cta gta cat tta aga tac cta aac ttg tct ggc aat act agt att	1737
Asp Leu Val His Leu Arg Tyr Leu Asn Leu Ser Gly Asn Thr Ser Ile	
550 555 560	
cgt agt ctt cca aac cag tta tgc aag ctt caa aat ctg cag act ctt	1785
Arg Ser Leu Pro Asn Gln Leu Cys Lys Leu Gln Asn Leu Gln Thr Leu	
565 570 575	
gat cta cat ggc tgt cat tca ctt tgt tgt ttg cca aaa gaa aca agc	1833
Asp Leu His Gly Cys His Ser Leu Cys Cys Leu Pro Lys Glu Thr Ser	
580 585 590	
aaa ctt ggt agt ctt cga aat ctt tta ctt gat ggt tgc tat gga ttg	1881
Lys Leu Gly Ser Leu Arg Asn Leu Leu Leu Asp Gly Cys Tyr Gly Leu	
595 600 605 610	
act tgt atg cca cca agg ata gga tct ttg aca tgc ctt aag act cta	1929

Thr Cys Met Pro Pro Arg Ile Gly Ser Leu Thr Cys Leu Lys Thr Leu	
615 620 625	
agt aga ttt gtg gtg gga att cag aag aaa agt tgt caa ctt ggt gaa	1977
Ser Arg Phe Val Val Gly Ile Gln Lys Lys Ser Cys Gln Leu Gly Glu	
630 635 640	
tta cga aac ctg aat ctc tat ggc tca att gaa atc acg cat ctt gag	2025
Leu Arg Asn Leu Asn Leu Tyr Gly Ser Ile Glu Ile Thr His Leu Glu	
645 650 655	
aga gtg aag aat gat atg gat gca aaa gaa gcc aat tta tct gca aaa	2073
Arg Val Lys Asn Asp Met Asp Ala Lys Glu Ala Asn Leu Ser Ala Lys	
660 665 670	
gaa aat ctg cat tct tta agc atg aaa tgg gat gac gat gaa cgt cca	2121
Glu Asn Leu His Ser Leu Ser Met Lys Trp Asp Asp Asp Glu Arg Pro	
675 680 685 690	
cgt ata tat gaa tca gaa aaa gtt gaa gtg ctt gaa gct ctc aaa cca	2169
Arg Ile Tyr Glu Ser Glu Lys Val Glu Val Leu Glu Ala Leu Lys Pro	
695 700 705	
cac tcc aat ctg act tgt tta aca atc agg ggc ttc aga gga atc cgt	2217
His Ser Asn Leu Thr Cys Leu Thr Ile Arg Gly Phe Arg Gly Ile Arg	
710 715 720	
ctc cca gac tgg atg aat cac tca gtt ttg aaa aat gtt gtc tct att	2265
Leu Pro Asp Trp Met Asn His Ser Val Leu Lys Asn Val Val Ser Ile	
725 730 735	
gaa atc atc agt tgc aaa aac tgc tca tgc tta cca ccc ttt ggt gag	2313
Glu Ile Ile Ser Cys Lys Asn Cys Ser Cys Leu Pro Pro Phe Gly Glu	
740 745 750	
ctg cct tgt cta aaa agt cta gag ttg tgg agg ggg tct gcg gaa gtg	2361
Leu Pro Cys Leu Lys Ser Leu Glu Leu Trp Arg Gly Ser Ala Glu Val	
755 760 765 770	
gag tat gtt gat tct gga ttc cct aca aga aga agg ttt cca tct ctg	2409
Glu Tyr Val Asp Ser Gly Phe Pro Thr Arg Arg Arg Phe Pro Ser Leu	
775 780 785	
aga aaa ctt aat ata cgc gaa ttt ggt aat ctg aaa gga ttg ctg aaa	2457
Arg Lys Leu Asn Ile Arg Glu Phe Gly Asn Leu Lys Gly Leu Leu Lys	
790 795 800	
aag gaa gga gaa gag caa tgc cct gtg ctt gaa gag ata gag att aaa	2505
Lys Glu Gly Glu Glu Gln Cys Pro Val Leu Glu Glu Ile Glu Ile Lys	
805 810 815	
tgt tgc cct atg ttt gtt att cca acc ctt tct tct gtc aag aaa ttg	2553
Cys Cys Pro Met Phe Val Ile Pro Thr Leu Ser Ser Val Lys Lys Leu	
820 825 830	
gta gtt agt ggg gac aag tca gat gca ata ggt ttc agt tcc ata tct	2601
Val Val Ser Gly Asp Lys Ser Asp Ala Ile Gly Phe Ser Ser Ile Ser	
835 840 845 850	
aat ctg atg gct ctt act tcc ctc caa att cgc tat aac aaa gaa gat	2649
Asn Leu Met Ala Leu Thr Ser Leu Gln Ile Arg Tyr Asn Lys Glu Asp	

	855	860	865	
	gct tca ctc cca gaa gag atg ttc aaa agc ctt gca aat ctc aaa tac			2697
	Ala Ser Leu Pro Glu Glu Met Phe Lys Ser Leu Ala Asn Leu Lys Tyr			
	870	875	880	
	ttg aat atc tct ttt tac ttc aat ctt aaa gag ctg cct acc agc ctg			2745
	Leu Asn Ile Ser Phe Tyr Phe Asn Leu Lys Glu Leu Pro Thr Ser Leu			
	885	890	895	
	gct agt ctc aat gct ttg aag cat ctg gaa att cat agt tgt tat gca			2793
	Ala Ser Leu Asn Ala Leu Lys His Leu Glu Ile His Ser Cys Tyr Ala			
	900	905	910	
	cta gag agt ctc ccc gag gaa ggt gtg aaa ggt tta att tca ctc aca			2841
	Leu Glu Ser Leu Pro Glu Glu Gly Val Lys Gly Leu Ile Ser Leu Thr			
	915	920	925	930
	cag tta tcc ata aca tac tgt gaa atg cta caa tgt tta ccg gag gga			2889
	Gln Leu Ser Ile Thr Tyr Cys Glu Met Leu Gln Cys Leu Pro Glu Gly			
	935	940	945	
	ttg cag cac cta aca gcc ctc aca aat tta tca gtt gag ttt tgt cca			2937
	Leu Gln His Leu Thr Ala Leu Thr Asn Leu Ser Val Glu Phe Cys Pro			
	950	955	960	
	aca ctg gcc aag cgg tgt gag aag gga ata gga gaa gac tgg tac aaa			2985
	Thr Leu Ala Lys Arg Cys Glu Lys Gly Ile Gly Glu Asp Trp Tyr Lys			
	965	970	975	
	att gct cac att cct cgt gtg ttt att tat tag tattcccaat tagatgtaat			3038
	Ile Ala His Ile Pro Arg Val Phe Ile Tyr			
	980	985		
	tttctgattt tcttttggaa acaaatcaac tatttgtaag atctatttgt attatacttg			3098
	atttttcttg ggtctgtaac aataaatatt tgaaattttt catattaaga ttcagaatta			3158
	gtcttatagt caaaaaaaaaa aaaaaaaaaa aaaaaa			3193

<210> 2
 <211> 988
 <212> PRT
 <213> Solanum bulbocastanum

<400> 2

Met	Ala	Glu	Ala	Phe	Leu	Gln	Val	Leu	Leu	Asp	Asn	Leu	Thr	Cys	Phe
1				5					10					15	

Ile	Gln	Gly	Glu	Leu	Gly	Leu	Ile	Leu	Gly	Phe	Lys	Asp	Glu	Phe	Glu
		20						25					30		

Lys	Leu	Gln	Ser	Thr	Phe	Thr	Thr	Ile	Gln	Ala	Val	Leu	Glu	Asp	Ala
	35						40					45			

Gln Lys Lys Gln Leu Lys Asp Lys Ala Ile Glu Asn Trp Leu Gln Lys

50	55	60
Leu Asn Ala Ala Ala Tyr Glu Ala Asp Asp Ile Leu Asp Glu Cys Lys		
65	70	75 80
Thr Glu Ala Pro Ile Arg Gln Lys Lys Asn Lys Tyr Gly Cys Tyr His		
	85	90 95
Pro Asn Val Ile Thr Phe Arg His Lys Ile Gly Lys Arg Met Lys Lys		
	100	105 110
Ile Met Glu Lys Leu Asp Val Ile Ala Ala Glu Arg Ile Lys Phe His		
	115	120 125
Leu Asp Glu Arg Thr Ile Glu Arg Gln Val Ala Thr Arg Gln Thr Gly		
	130	135 140
Phe Val Leu Asn Glu Pro Gln Val Tyr Gly Arg Asp Lys Glu Lys Asp		
	145	150 155 160
Glu Ile Val Lys Ile Leu Ile Asn Asn Val Ser Asn Ala Gln Thr Leu		
	165	170 175
Pro Val Leu Pro Ile Leu Gly Met Gly Gly Leu Gly Lys Thr Thr Leu		
	180	185 190
Ala Gln Met Val Phe Asn Asp Gln Arg Val Ile Glu His Phe His Pro		
	195	200 205
Lys Ile Trp Ile Cys Val Ser Glu Asp Phe Asn Glu Lys Arg Leu Ile		
	210	215 220
Lys Glu Ile Val Glu Ser Ile Glu Glu Lys Ser Leu Gly Gly Met Asp		
	225	230 235 240
Leu Ala Pro Leu Gln Lys Lys Leu Arg Asp Leu Leu Asn Gly Lys Lys		
	245	250 255
Tyr Leu Leu Val Leu Asp Asp Val Trp Asn Glu Asp Gln Asp Lys Trp		
	260	265 270
Ala Lys Leu Arg Gln Val Leu Lys Val Gly Ala Ser Gly Ala Ser Val		
	275	280 285
Leu Thr Thr Thr Arg Leu Glu Lys Val Gly Ser Ile Met Gly Thr Leu		
	290	295 300

Gln Pro Tyr Glu Leu Ser Asn Leu Ser Gln Glu Asp Cys Trp Leu Leu
 305 310 315 320
 Phe Met Gln Arg Ala Phe Gly His Gln Glu Glu Ile Asn Leu Asn Leu
 325 330 335
 Val Ala Ile Gly Lys Glu Ile Val Lys Lys Cys Gly Gly Val Pro Leu
 340 345 350
 Ala Ala Lys Thr Leu Gly Gly Ile Leu Arg Phe Lys Arg Glu Glu Arg
 355 360 365
 Gln Trp Glu His Val Arg Asp Ser Glu Ile Trp Lys Leu Pro Gln Glu
 370 375 380
 Glu Ser Ser Ile Leu Pro Ala Leu Arg Leu Ser Tyr His His Leu Pro
 385 390 395 400
 Leu Asp Leu Arg Gln Cys Phe Thr Tyr Cys Ala Val Phe Pro Lys Asp
 405 410 415
 Thr Glu Met Glu Lys Gly Asn Leu Ile Ser Leu Trp Met Ala His Gly
 420 425 430
 Phe Ile Leu Ser Lys Gly Asn Leu Glu Leu Glu Asn Val Gly Asn Glu
 435 440 445
 Val Trp Asn Glu Leu Tyr Leu Arg Ser Phe Phe Gln Glu Ile Glu Val
 450 455 460
 Lys Ser Gly Gln Thr Tyr Phe Lys Met His Asp Leu Ile His Asp Leu
 465 470 475 480
 Ala Thr Ser Leu Phe Ser Ala Ser Thr Ser Ser Ser Asn Ile Arg Glu
 485 490 495
 Ile Ile Val Glu Asn Tyr Ile His Met Met Ser Ile Gly Phe Thr Lys
 500 505 510
 Val Val Ser Ser Tyr Ser Leu Ser His Leu Gln Lys Phe Val Ser Leu
 515 520 525
 Arg Val Leu Asn Leu Ser Asp Ile Lys Leu Lys Gln Leu Pro Ser Ser
 530 535 540

Ile	Gly	Asp	Leu	Val	His	Leu	Arg	Tyr	Leu	Asn	Leu	Ser	Gly	Asn	Thr	545	550	555	560
Ser	Ile	Arg	Ser	Leu	Pro	Asn	Gln	Leu	Cys	Lys	Leu	Gln	Asn	Leu	Gln	565	570	575	
Thr	Leu	Asp	Leu	His	Gly	Cys	His	Ser	Leu	Cys	Cys	Leu	Pro	Lys	Glu	580	585	590	
Thr	Ser	Lys	Leu	Gly	Ser	Leu	Arg	Asn	Leu	Leu	Leu	Asp	Gly	Cys	Tyr	595	600	605	
Gly	Leu	Thr	Cys	Met	Pro	Pro	Arg	Ile	Gly	Ser	Leu	Thr	Cys	Leu	Lys	610	615	620	
Thr	Leu	Ser	Arg	Phe	Val	Val	Gly	Ile	Gln	Lys	Lys	Ser	Cys	Gln	Leu	625	630	635	640
Gly	Glu	Leu	Arg	Asn	Leu	Asn	Leu	Tyr	Gly	Ser	Ile	Glu	Ile	Thr	His	645	650	655	
Leu	Glu	Arg	Val	Lys	Asn	Asp	Met	Asp	Ala	Lys	Glu	Ala	Asn	Leu	Ser	660	665	670	
Ala	Lys	Glu	Asn	Leu	His	Ser	Leu	Ser	Met	Lys	Trp	Asp	Asp	Asp	Glu	675	680	685	
Arg	Pro	Arg	Ile	Tyr	Glu	Ser	Glu	Lys	Val	Glu	Val	Leu	Glu	Ala	Leu	690	695	700	
Lys	Pro	His	Ser	Asn	Leu	Thr	Cys	Leu	Thr	Ile	Arg	Gly	Phe	Arg	Gly	705	710	715	720
Ile	Arg	Leu	Pro	Asp	Trp	Met	Asn	His	Ser	Val	Leu	Lys	Asn	Val	Val	725	730	735	
Ser	Ile	Glu	Ile	Ile	Ser	Cys	Lys	Asn	Cys	Ser	Cys	Leu	Pro	Pro	Phe	740	745	750	
Gly	Glu	Leu	Pro	Cys	Leu	Lys	Ser	Leu	Glu	Leu	Trp	Arg	Gly	Ser	Ala	755	760	765	
Glu	Val	Glu	Tyr	Val	Asp	Ser	Gly	Phe	Pro	Thr	Arg	Arg	Arg	Phe	Pro	770	775	780	

Ser Leu Arg Lys Leu Asn Ile Arg Glu Phe Gly Asn Leu Lys Gly Leu
 785 790 795 800
 Leu Lys Lys Glu Gly Glu Glu Gln Cys Pro Val Leu Glu Glu Ile Glu
 805 810 815
 Ile Lys Cys Cys Pro Met Phe Val Ile Pro Thr Leu Ser Ser Val Lys
 820 825 830
 Lys Leu Val Val Ser Gly Asp Lys Ser Asp Ala Ile Gly Phe Ser Ser
 835 840 845
 Ile Ser Asn Leu Met Ala Leu Thr Ser Leu Gln Ile Arg Tyr Asn Lys
 850 855 860
 Glu Asp Ala Ser Leu Pro Glu Glu Met Phe Lys Ser Leu Ala Asn Leu
 865 870 875 880
 Lys Tyr Leu Asn Ile Ser Phe Tyr Phe Asn Leu Lys Glu Leu Pro Thr
 885 890 895
 Ser Leu Ala Ser Leu Asn Ala Leu Lys His Leu Glu Ile His Ser Cys
 900 905 910
 Tyr Ala Leu Glu Ser Leu Pro Glu Glu Gly Val Lys Gly Leu Ile Ser
 915 920 925
 Leu Thr Gln Leu Ser Ile Thr Tyr Cys Glu Met Leu Gln Cys Leu Pro
 930 935 940
 Glu Gly Leu Gln His Leu Thr Ala Leu Thr Asn Leu Ser Val Glu Phe
 945 950 955 960
 Cys Pro Thr Leu Ala Lys Arg Cys Glu Lys Gly Ile Gly Glu Asp Trp
 965 970 975
 Tyr Lys Ile Ala His Ile Pro Arg Val Phe Ile Tyr
 980 985

<210> 3
 <211> 3595
 <212> DNA
 <213> Solanum bulbocastanum

<220>
 <221> CDS
 <222> (57) .. (487)

<223> Sbul1 protein

<220>

<221> Intron

<222> (488)..(899)

<220>

<221> CDS

<222> (900)..(3432)

<400> 3

```
ccaacatctt acttcatttc aaaaaatata gattcattgc gtactcacia tactct atg      59
                                     Met
                                     1

gct gaa gct ttc ctt caa gtt ctg tta gac aat ctg act tgt ttc atc      107
Ala Glu Ala Phe Leu Gln Val Leu Leu Asp Asn Leu Thr Cys Phe Ile
      5                                10      15

caa ggg gaa ctt gga ttg att ctt ggt ttt aag gat gag ttc gaa aag      155
Gln Gly Glu Leu Gly Leu Ile Leu Gly Phe Lys Asp Glu Phe Glu Lys
      20                                25      30

ctt caa agc acg ttt act aca atc caa gct gtg cta gaa gat gct cag      203
Leu Gln Ser Thr Phe Thr Thr Ile Gln Ala Val Leu Glu Asp Ala Gln
      35                                40      45

aag aag caa ttg aag gac aag gca ata gaa aat tgg ttg cag aaa ctc      251
Lys Lys Gln Leu Lys Asp Lys Ala Ile Glu Asn Trp Leu Gln Lys Leu
      50                                55      60      65

aat gct gct gca tat gag gct gat gac atc ttg gac gaa tgt aaa act      299
Asn Ala Ala Ala Tyr Glu Ala Asp Asp Ile Leu Asp Glu Cys Lys Thr
      70                                75      80

gag gca cca att aga cag aag aag aac aaa tat ggg tgt tat cat cca      347
Glu Ala Pro Ile Arg Gln Lys Lys Asn Lys Tyr Gly Cys Tyr His Pro
      85                                90      95

aac gtt atc act ttt cgt cac aag att ggg aaa agg atg aaa aag att      395
Asn Val Ile Thr Phe Arg His Lys Ile Gly Lys Arg Met Lys Lys Ile
      100                               105      110

atg gag aaa cta gat gta att gca gcg gaa cga att aag ttt cat ttg      443
Met Glu Lys Leu Asp Val Ile Ala Ala Glu Arg Ile Lys Phe His Leu
      115                               120      125

gat gaa agg act ata gag aga caa gtt gct aca cgc caa aca gg      487
Asp Glu Arg Thr Ile Glu Arg Gln Val Ala Thr Arg Gln Thr Gly
      130                               135      140

tgctcatctt agatattttt ctgaaaaaac agctttatat catcaaattc atgtgtgttt      547

tggaattcg tctaattctaa atgttcgtct caagtctaag tagataagtg gatccagctt      607

tggaatttatt aatctattag ctaaatctgt ttagtgaagt ttttaacata tataacctca      667

gataaatcca tagcttactc ataggattag gataggcccc caagtctaaa tgacaggata      727

aagccagagt tgttttagct cttataaatt aacaatgata ataatgtgaa ttcaaaaaag      787
```

tgcatTTTTT taatttgaaa tatttctgct gcttctcaag cttatcattg tctttttact	847
gtgcaaaaatt ctactttgta tttttgctga ctctaccga gcttgggcca gg t ttt	903
	Phe 145
gtt ttg aat gaa cca caa gtt tat gga aga gac aaa gaa aag gac gag	951
Val Leu Asn Glu Pro Gln Val Tyr Gly Arg Asp Lys Glu Lys Asp Glu	150 155 160
ata gtg aaa atc ctg ata aac aat gtt agc aat gcc caa aca ctt cca	999
Ile Val Lys Ile Leu Ile Asn Asn Val Ser Asn Ala Gln Thr Leu Pro	165 170 175
gtc ctc cca ata ctt ggt atg ggg gga cta gga aag acg act ctt gcc	1047
Val Leu Pro Ile Leu Gly Met Gly Gly Leu Gly Lys Thr Thr Leu Ala	180 185 190
caa atg gtc ttc aat gat cag aga gta att gag cat ttc cat ccc aaa	1095
Gln Met Val Phe Asn Asp Gln Arg Val Ile Glu His Phe His Pro Lys	195 200 205
ata tgg att tgt gtc tcg gaa gat ttt aat gag aag agg ttg ata aag	1143
Ile Trp Ile Cys Val Ser Glu Asp Phe Asn Glu Lys Arg Leu Ile Lys	210 215 220 225
gaa att gta gaa tct att gaa gaa aag tca ctt ggt ggc atg gac ttg	1191
Glu Ile Val Glu Ser Ile Glu Glu Lys Ser Leu Gly Gly Met Asp Leu	230 235 240
gct cca ctt caa aag aag ctt cgg gac ttg ctg aat gga aaa aaa tat	1239
Ala Pro Leu Gln Lys Lys Leu Arg Asp Leu Leu Asn Gly Lys Lys Tyr	245 250 255
ttg ctc gtc tta gat gat gtt tgg aat gaa gat caa gat aag tgg gct	1287
Leu Leu Val Leu Asp Asp Val Trp Asn Glu Asp Gln Asp Lys Trp Ala	260 265 270
aag tta aga caa gtc ttg aag gtt gga gca agt ggc gct tct gtt cta	1335
Lys Leu Arg Gln Val Leu Lys Val Gly Ala Ser Gly Ala Ser Val Leu	275 280 285
acc act act cgt ctt gaa aag gtt gga tca att atg gga aca ttg caa	1383
Thr Thr Thr Arg Leu Glu Lys Val Gly Ser Ile Met Gly Thr Leu Gln	290 295 300 305
cca tat gaa ttg tca aat ttg tct caa gaa gat tgt tgg ttg ttg ttc	1431
Pro Tyr Glu Leu Ser Asn Leu Ser Gln Glu Asp Cys Trp Leu Leu Phe	310 315 320
atg caa cgt gca ttt ggg cac caa gaa gaa ata aat ctt aat ctt gtg	1479
Met Gln Arg Ala Phe Gly His Gln Glu Glu Ile Asn Leu Asn Leu Val	325 330 335
gct atc gga aag gag att gtg aaa aaa tgt ggt ggt gtg cct cta gca	1527
Ala Ile Gly Lys Glu Ile Val Lys Lys Cys Gly Gly Val Pro Leu Ala	340 345 350
gct aaa act ctt gga ggt att ttg cgc ttt aag aga gaa gaa aga cag	1575
Ala Lys Thr Leu Gly Gly Ile Leu Arg Phe Lys Arg Glu Glu Arg Gln	355 360 365

tgg gaa cat gtg aga gat agt gag att tgg aaa ttg cct caa gaa gaa Trp Glu His Val Arg Asp Ser Glu Ile Trp Lys Leu Pro Gln Glu Glu 370 375 380 385	1623
agt tct att ctg cct gcc ctg aga ctt agt tac cat cac ctt cca ctt Ser Ser Ile Leu Pro Ala Leu Arg Leu Ser Tyr His His Leu Pro Leu 390 395 400	1671
gat ttg aga caa tgc ttt aca tat tgt gca gta ttc cca aag gat acc Asp Leu Arg Gln Cys Phe Thr Tyr Cys Ala Val Phe Pro Lys Asp Thr 405 410 415	1719
gaa atg gaa aag gga aat cta atc tct ctc tgg atg gca cat ggt ttt Glu Met Glu Lys Gly Asn Leu Ile Ser Leu Trp Met Ala His Gly Phe 420 425 430	1767
att tta tcg aaa gga aac ttg gag cta gag aat gta ggt aat gaa gta Ile Leu Ser Lys Gly Asn Leu Glu Leu Glu Asn Val Gly Asn Glu Val 435 440 445	1815
tgg aat gaa tta tac ttg agg tct ttc ttc caa gag att gaa gtt aaa Trp Asn Glu Leu Tyr Leu Arg Ser Phe Phe Gln Glu Ile Glu Val Lys 450 455 460 465	1863
tct ggt caa act tat ttc aag atg cat gat ctc att cat gat ctg gca Ser Gly Gln Thr Tyr Phe Lys Met His Asp Leu Ile His Asp Leu Ala 470 475 480	1911
aca tct cta ttt tcg gca agc aca tca agc agc aat atc cga gaa ata Thr Ser Leu Phe Ser Ala Ser Thr Ser Ser Ser Asn Ile Arg Glu Ile 485 490 495	1959
att gta gaa aat tac ata cat atg atg tcc att ggt ttc act aaa gtg Ile Val Glu Asn Tyr Ile His Met Met Ser Ile Gly Phe Thr Lys Val 500 505 510	2007
gta tct tct tac tct ctt tcc cac ttg cag aag ttt gtc tcg ttg agg Val Ser Ser Tyr Ser Leu Ser His Leu Gln Lys Phe Val Ser Leu Arg 515 520 525	2055
gtg ctt aat cta agt gac ata aaa ctt aag cag tta ccg tct tcc att Val Leu Asn Leu Ser Asp Ile Lys Leu Lys Gln Leu Pro Ser Ser Ile 530 535 540 545	2103
gga gat cta gta cat tta aga tac cta aac ttg tct ggc aat act agt Gly Asp Leu Val His Leu Arg Tyr Leu Asn Leu Ser Gly Asn Thr Ser 550 555 560	2151
att cgt agt ctt cca aac cag tta tgc aag ctt caa aat ctg cag act Ile Arg Ser Leu Pro Asn Gln Leu Cys Lys Leu Gln Asn Leu Gln Thr 565 570 575	2199
ctt gat cta cat ggc tgt cat tca ctt tgt tgt ttg cca aaa gaa aca Leu Asp Leu His Gly Cys His Ser Leu Cys Cys Leu Pro Lys Glu Thr 580 585 590	2247
agc aaa ctt ggt agt ctt cga aat ctt tta ctt gat ggt tgc tat gga Ser Lys Leu Gly Ser Leu Arg Asn Leu Leu Leu Asp Gly Cys Tyr Gly 595 600 605	2295

ttg act tgt atg cca cca agg ata gga tct ttg aca tgc ctt aag act Leu Thr Cys Met Pro Pro Arg Ile Gly Ser Leu Thr Cys Leu Lys Thr 610 615 620 625	2343
cta agt aga ttt gtg gtg gga att cag aag aaa agt tgt caa ctt ggt Leu Ser Arg Phe Val Val Gly Ile Gln Lys Lys Ser Cys Gln Leu Gly 630 635 640	2391
gaa tta cga aac ctg aat ctc tat ggc tca att gaa atc acg cat ctt Glu Leu Arg Asn Leu Asn Leu Tyr Gly Ser Ile Glu Ile Thr His Leu 645 650 655	2439
gag aga gtg aag aat gat atg gat gca aaa gaa gcc aat tta tct gca Glu Arg Val Lys Asn Asp Met Asp Ala Lys Glu Ala Asn Leu Ser Ala 660 665 670	2487
aaa gaa aat ctg cat tct tta agc atg aaa tgg gat gac gat gaa cgt Lys Glu Asn Leu His Ser Leu Ser Met Lys Trp Asp Asp Asp Glu Arg 675 680 685	2535
cca cgt ata tat gaa tca gaa aaa gtt gaa gtg ctt gaa gct ctc aaa Pro Arg Ile Tyr Glu Ser Glu Lys Val Glu Val Leu Glu Ala Leu Lys 690 695 700 705	2583
cca cac tcc aat ctg act tgt tta aca atc agg ggc ttc aga gga atc Pro His Ser Asn Leu Thr Cys Leu Thr Ile Arg Gly Phe Arg Gly Ile 710 715 720	2631
cgt ctc cca gac tgg atg aat cac tca gtt ttg aaa aat gtt gtc tct Arg Leu Pro Asp Trp Met Asn His Ser Val Leu Lys Asn Val Val Ser 725 730 735	2679
att gaa atc atc agt tgc aaa aac tgc tca tgc tta cca ccc ttt ggt Ile Glu Ile Ile Ser Cys Lys Asn Cys Ser Cys Leu Pro Pro Phe Gly 740 745 750	2727
gag ctg cct tgt cta aaa agt cta gag tta tgg agg ggg tct gcg gaa Glu Leu Pro Cys Leu Lys Ser Leu Glu Leu Trp Arg Gly Ser Ala Glu 755 760 765	2775
gtg gag tat gtt gat tct gga ttc cct aca aga aga agg ttt cca tct Val Glu Tyr Val Asp Ser Gly Phe Pro Thr Arg Arg Arg Phe Pro Ser 770 775 780 785	2823
ctg aga aaa ctt aat ata cgc gaa ttt gat aat ctg aaa gga ttg ctg Leu Arg Lys Leu Asn Ile Arg Glu Phe Asp Asn Leu Lys Gly Leu Leu 790 795 800	2871
aaa aag gaa gga gaa gag caa tgc cct gtg ctt gaa gag ata gag att Lys Lys Glu Gly Glu Glu Gln Cys Pro Val Leu Glu Glu Ile Glu Ile 805 810 815	2919
aaa tgt tgc cct atg ttt gtt att cca acc ctt tct tct gtc aag aaa Lys Cys Cys Pro Met Phe Val Ile Pro Thr Leu Ser Ser Val Lys Lys 820 825 830	2967
ttg gta gtt agt ggg gac aag tca gat gca ata ggt ttc agt tcc ata Leu Val Val Ser Gly Asp Lys Ser Asp Ala Ile Gly Phe Ser Ser Ile 835 840 845	3015
tct aat ctc atg gct ctt act tcc ctc caa att cgc tat aac aaa gaa	3063

Ser Asn Leu Met Ala Leu Thr Ser Leu Gln Ile Arg Tyr Asn Lys Glu
 850 855 860 865
 gat gct tca ctc cca gaa gag atg ttc aaa agc ctt gca aat ctc aaa 3111
 Asp Ala Ser Leu Pro Glu Glu Met Phe Lys Ser Leu Ala Asn Leu Lys
 870 875 880
 tac ttg aat atc tct ttt tac ttc aat ctt aaa gag ctg cct acc agc 3159
 Tyr Leu Asn Ile Ser Phe Tyr Phe Asn Leu Lys Glu Leu Pro Thr Ser
 885 890 895
 ctg gct agt ctc aat gct ttg aag cat ctg gaa att cat agt tgt tat 3207
 Leu Ala Ser Leu Asn Ala Leu Lys His Leu Glu Ile His Ser Cys Tyr
 900 905 910
 gca cta gag agt ctc ccc gag gaa ggt gtg aaa ggt tta att tca ctc 3255
 Ala Leu Glu Ser Leu Pro Glu Glu Gly Val Lys Gly Leu Ile Ser Leu
 915 920 925
 aca cag tta tcc ata aca tac tgt gaa atg cta caa tgt tta ccg gag 3303
 Thr Gln Leu Ser Ile Thr Tyr Cys Glu Met Leu Gln Cys Leu Pro Glu
 930 935 940 945
 gga ttg cag cac cta aca gcc ctc aca aat tta tca gtt gag ttt tgt 3351
 Gly Leu Gln His Leu Thr Ala Leu Thr Asn Leu Ser Val Glu Phe Cys
 950 955 960
 cca aca ctg gcc aag cgg tgt gag aag gga ata gga gaa gac tgg tac 3399
 Pro Thr Leu Ala Lys Arg Cys Glu Lys Gly Ile Gly Glu Asp Trp Tyr
 965 970 975
 aaa att gct cac att cct cgt gtg ttt att tat tagtattccc aattagatgt 3452
 Lys Ile Ala His Ile Pro Arg Val Phe Ile Tyr
 980 985
 aattttctga ttttcttttg gaaacaaatc aactatttgt aagatctatt tgtattatac 3512
 ttgatttttc ttgggtctgt aacaataaat atttgaaatt tttcatatta agattcagaa 3572
 ttagtcttat agctaacggt atc 3595

<210> 4
 <211> 988
 <212> PRT
 <213> Solanum bulbocastanum

<400> 4

Met Ala Glu Ala Phe Leu Gln Val Leu Leu Asp Asn Leu Thr Cys Phe
 1 5 10 15

Ile Gln Gly Glu Leu Gly Leu Ile Leu Gly Phe Lys Asp Glu Phe Glu
 20 25 30

Lys Leu Gln Ser Thr Phe Thr Thr Ile Gln Ala Val Leu Glu Asp Ala
 35 40 45

Gln Lys Lys Gln Leu Lys Asp Lys Ala Ile Glu Asn Trp Leu Gln Lys
 50 55 60

Leu Asn Ala Ala Ala Tyr Glu Ala Asp Asp Ile Leu Asp Glu Cys Lys
 65 70 75 80

Thr Glu Ala Pro Ile Arg Gln Lys Lys Asn Lys Tyr Gly Cys Tyr His
 85 90 95

Pro Asn Val Ile Thr Phe Arg His Lys Ile Gly Lys Arg Met Lys Lys
 100 105 110

Ile Met Glu Lys Leu Asp Val Ile Ala Ala Glu Arg Ile Lys Phe His
 115 120 125

Leu Asp Glu Arg Thr Ile Glu Arg Gln Val Ala Thr Arg Gln Thr Gly
 130 135 140

Phe Val Leu Asn Glu Pro Gln Val Tyr Gly Arg Asp Lys Glu Lys Asp
 145 150 155 160

Glu Ile Val Lys Ile Leu Ile Asn Asn Val Ser Asn Ala Gln Thr Leu
 165 170 175

Pro Val Leu Pro Ile Leu Gly Met Gly Gly Leu Gly Lys Thr Thr Leu
 180 185 190

Ala Gln Met Val Phe Asn Asp Gln Arg Val Ile Glu His Phe His Pro
 195 200 205

Lys Ile Trp Ile Cys Val Ser Glu Asp Phe Asn Glu Lys Arg Leu Ile
 210 215 220

Lys Glu Ile Val Glu Ser Ile Glu Glu Lys Ser Leu Gly Gly Met Asp
 225 230 235 240

Leu Ala Pro Leu Gln Lys Lys Leu Arg Asp Leu Leu Asn Gly Lys Lys
 245 250 255

Tyr Leu Leu Val Leu Asp Asp Val Trp Asn Glu Asp Gln Asp Lys Trp
 260 265 270

Ala Lys Leu Arg Gln Val Leu Lys Val Gly Ala Ser Gly Ala Ser Val
 275 280 285

Leu Thr Thr Thr Arg Leu Glu Lys Val Gly Ser Ile Met Gly Thr Leu

290	295	300
Gln Pro Tyr Glu Leu Ser 305	Asn Leu Ser 310	Gln Glu Asp Cys Trp Leu Leu 315 320
Phe Met Gln Arg Ala Phe 325	Gly His Gln 330	Glu Glu Ile Asn Leu Asn Leu 335
Val Ala Ile Gly Lys Glu Ile Val 340	Lys Lys Cys Gly Gly 345	Val Pro Leu 350
Ala Ala Lys Thr Leu Gly Gly 355	Ile Leu Arg 360	Phe Lys Arg Glu Glu Arg 365
Gln Trp Glu His Val Arg 370	Asp Ser Glu Ile 375	Trp Lys Leu Pro Gln Glu 380
Glu Ser Ser Ile Leu Pro Ala Leu Arg Leu 385	Ser Tyr His His Leu Pro 390 400	
Leu Asp Leu Arg Gln Cys Phe Thr Tyr 405	Cys Ala Val Phe Pro Lys Asp 410 415	
Thr Glu Met Glu Lys Gly Asn Leu Ile Ser Leu Trp Met 420	Ala His Gly 430	
Phe Ile Leu Ser Lys Gly Asn Leu Glu Leu Glu Asn Val Gly Asn Glu 435	440 445	
Val Trp Asn Glu Leu Tyr Leu Arg Ser Phe Phe Gln Glu Ile Glu Val 450	455 460	
Lys Ser Gly Gln Thr Tyr Phe Lys Met His Asp Leu Ile His Asp Leu 465	470 475	480
Ala Thr Ser Leu Phe Ser Ala Ser Thr Ser Ser Ser Asn Ile Arg Glu 485	490 495	
Ile Ile Val Glu Asn Tyr Ile His Met Met Ser Ile Gly Phe Thr Lys 500	505 510	
Val Val Ser Ser Tyr Ser Leu Ser His Leu Gln Lys Phe Val Ser Leu 515	520 525	
Arg Val Leu Asn Leu Ser Asp Ile Lys Leu Lys Gln Leu Pro Ser Ser 530	535 540	

Ile Gly Asp Leu Val His Leu Arg Tyr Leu Asn Leu Ser Gly Asn Thr
 545 550 555 560

Ser Ile Arg Ser Leu Pro Asn Gln Leu Cys Lys Leu Gln Asn Leu Gln
 565 570 575

Thr Leu Asp Leu His Gly Cys His Ser Leu Cys Cys Leu Pro Lys Glu
 580 585 590

Thr Ser Lys Leu Gly Ser Leu Arg Asn Leu Leu Leu Asp Gly Cys Tyr
 595 600 605

Gly Leu Thr Cys Met Pro Pro Arg Ile Gly Ser Leu Thr Cys Leu Lys
 610 615 620

Thr Leu Ser Arg Phe Val Val Gly Ile Gln Lys Lys Ser Cys Gln Leu
 625 630 635 640

Gly Glu Leu Arg Asn Leu Asn Leu Tyr Gly Ser Ile Glu Ile Thr His
 645 650 655

Leu Glu Arg Val Lys Asn Asp Met Asp Ala Lys Glu Ala Asn Leu Ser
 660 665 670

Ala Lys Glu Asn Leu His Ser Leu Ser Met Lys Trp Asp Asp Asp Glu
 675 680 685

Arg Pro Arg Ile Tyr Glu Ser Glu Lys Val Glu Val Leu Glu Ala Leu
 690 695 700

Lys Pro His Ser Asn Leu Thr Cys Leu Thr Ile Arg Gly Phe Arg Gly
 705 710 715 720

Ile Arg Leu Pro Asp Trp Met Asn His Ser Val Leu Lys Asn Val Val
 725 730 735

Ser Ile Glu Ile Ile Ser Cys Lys Asn Cys Ser Cys Leu Pro Pro Phe
 740 745 750

Gly Glu Leu Pro Cys Leu Lys Ser Leu Glu Leu Trp Arg Gly Ser Ala
 755 760 765

Glu Val Glu Tyr Val Asp Ser Gly Phe Pro Thr Arg Arg Arg Phe Pro
 770 775 780

Ser Leu Arg Lys Leu Asn Ile Arg Glu Phe Asp Asn Leu Lys Gly Leu
785 790 795 800

Leu Lys Lys Glu Gly Glu Glu Gln Cys Pro Val Leu Glu Glu Ile Glu
805 810 815

Ile Lys Cys Cys Pro Met Phe Val Ile Pro Thr Leu Ser Ser Val Lys
820 825 830

Lys Leu Val Val Ser Gly Asp Lys Ser Asp Ala Ile Gly Phe Ser Ser
835 840 845

Ile Ser Asn Leu Met Ala Leu Thr Ser Leu Gln Ile Arg Tyr Asn Lys
850 855 860

Glu Asp Ala Ser Leu Pro Glu Glu Met Phe Lys Ser Leu Ala Asn Leu
865 870 875 880

Lys Tyr Leu Asn Ile Ser Phe Tyr Phe Asn Leu Lys Glu Leu Pro Thr
885 890 895

Ser Leu Ala Ser Leu Asn Ala Leu Lys His Leu Glu Ile His Ser Cys
900 905 910

Tyr Ala Leu Glu Ser Leu Pro Glu Glu Gly Val Lys Gly Leu Ile Ser
915 920 925

Leu Thr Gln Leu Ser Ile Thr Tyr Cys Glu Met Leu Gln Cys Leu Pro
930 935 940

Glu Gly Leu Gln His Leu Thr Ala Leu Thr Asn Leu Ser Val Glu Phe
945 950 955 960

Cys Pro Thr Leu Ala Lys Arg Cys Glu Lys Gly Ile Gly Glu Asp Trp
965 970 975

Tyr Lys Ile Ala His Ile Pro Arg Val Phe Ile Tyr
980 985

<210> 5
<211> 3347
<212> DNA
<213> Solanum bulbocastanum

<220>
<221> CDS

<222> (57) .. (509)

<220>

<221> Intron

<222> (510) .. (788)

<220>

<221> CDS

<222> (789) .. (3344)

<400> 5

```
ccaacatctt acttcatttc aaaaaatata gattcattgc ttcctcacia tactct atg      59
                                         Met
                                         1

gct gaa gct ttc ctt caa gtt ctg tta gac aat ctg act tgt ttc atc      107
Ala Glu Ala Phe Leu Gln Val Leu Leu Asp Asn Leu Thr Cys Phe Ile
      5                                10                                15

caa ggg gaa gtt gga ttg att ctt ggt ttt aag gat gag ttc gaa aag      155
Gln Gly Glu Val Gly Leu Ile Leu Gly Phe Lys Asp Glu Phe Glu Lys
      20                                25                                30

ctt caa agc aca ttt act aca atc caa gct gtg cta gaa gat gct cag      203
Leu Gln Ser Thr Phe Thr Thr Ile Gln Ala Val Leu Glu Asp Ala Gln
      35                                40                                45

aag aag caa ttg aag gac aag gca ata gaa aat tgg ttg cag aaa ctc      251
Lys Lys Gln Leu Lys Asp Lys Ala Ile Glu Asn Trp Leu Gln Lys Leu
      50                                55                                60                                65

aat gct gct gta tat gaa gct gac gac atc ttg gac gaa tgt aaa act      299
Asn Ala Ala Val Tyr Glu Ala Asp Asp Ile Leu Asp Glu Cys Lys Thr
      70                                75                                80

gag gca cca att aga cag aag aag aac aaa tat ggg tgt tat cat cca      347
Glu Ala Pro Ile Arg Gln Lys Lys Asn Lys Tyr Gly Cys Tyr His Pro
      85                                90                                95

aac gtt atc gct ttc cgt cac aag att ggg aaa agg atg aaa aag att      395
Asn Val Ile Ala Phe Arg His Lys Ile Gly Lys Arg Met Lys Lys Ile
      100                               105                               110

atg gag aaa cta gat gta att gca gcg gaa cga att aag ttt cat ttg      443
Met Glu Lys Leu Asp Val Ile Ala Ala Glu Arg Ile Lys Phe His Leu
      115                               120                               125

gct gaa agg act aca gag aga caa gtt gct aca cgc caa aca ggt gct      491
Ala Glu Arg Thr Thr Glu Arg Gln Val Ala Thr Arg Gln Thr Gly Ala
      130                               135                               140                               145

cat ctt aga tat ttt tct aaaaaaacag ctttatatca tgaaattcat      539
His Leu Arg Tyr Phe Ser
      150

gtgtgttttg gattttttct aatctaaatg ttgtctcaag tctaagtaga taagtggatc      599

cagatttgga tatattaata tattatctaa atttgtttcg tgaaattttt aacagataaa      659

gcctgagttg ttttagacat tataaattaa caatgataat aatgtgaatt caaaaaagtg      719
```

cattatgtct gctgcttctc aagcttatca ttgtctcttt attgtgcaaa attcttcttc	779
gttttttttg ctg act cct act gag ctt gga cca ggt ttt gtt tta aat gaa	830
Leu Thr Pro Thr Glu Leu Gly Pro Gly Phe Val Leu Asn Glu	
155 160 165	
cca caa gtt tat gga aga gac aaa gaa aag gat gag ata gtg aaa atc	878
Pro Gln Val Tyr Gly Arg Asp Lys Glu Lys Asp Glu Ile Val Lys Ile	
170 175 180	
ctg ata aac att gtt agc gat gcc caa aca ctt tca gtc ctc cca ata	926
Leu Ile Asn Ile Val Ser Asp Ala Gln Thr Leu Ser Val Leu Pro Ile	
185 190 195	
ctt ggt atg ggg gga tta gga aag acg aca ctt gcc caa atg gtc ttc	974
Leu Gly Met Gly Gly Leu Gly Lys Thr Thr Leu Ala Gln Met Val Phe	
200 205 210	
aat gat cag aga gta att gag cat ttc ctt ccc aaa ata tgg att tgt	1022
Asn Asp Gln Arg Val Ile Glu His Phe Leu Pro Lys Ile Trp Ile Cys	
215 220 225	
gtc tcg gaa gat ttt aat gag aag agg ttg ata aag gaa att gta gaa	1070
Val Ser Glu Asp Phe Asn Glu Lys Arg Leu Ile Lys Glu Ile Val Glu	
230 235 240 245	
tct att gaa gaa aag tca ctt ggt gac atg gac ttg gct cca ctt caa	1118
Ser Ile Glu Glu Lys Ser Leu Gly Asp Met Asp Leu Ala Pro Leu Gln	
250 255 260	
aag aag ctt cag gac ttg ctg aat gga aaa aaa tat ttg ctt gtc tta	1166
Lys Lys Leu Gln Asp Leu Leu Asn Gly Lys Lys Tyr Leu Leu Val Leu	
265 270 275	
gat gat att tgg aat gaa gat caa gat aag tgg gct aag tta cga gaa	1214
Asp Asp Ile Trp Asn Glu Asp Gln Asp Lys Trp Ala Lys Leu Arg Glu	
280 285 290	
gtg ttg aag gtt gga gca agt ggt gct tct atc cta acc act act cgt	1262
Val Leu Lys Val Gly Ala Ser Gly Ala Ser Ile Leu Thr Thr Thr Arg	
295 300 305	
ctt gaa aag gtt gga tca att atg caa act ttg caa cca tat gaa ttg	1310
Leu Glu Lys Val Gly Ser Ile Met Gln Thr Leu Gln Pro Tyr Glu Leu	
310 315 320 325	
tca aac ttg tgt caa gaa gat tgc tgg ttg ttg ttc atg caa cgt gca	1358
Ser Asn Leu Cys Gln Glu Asp Cys Trp Leu Leu Phe Met Gln Arg Ala	
330 335 340	
ttt ggg cac caa gaa gaa ata aat cat aat ctt gtg gct atc gga aag	1406
Phe Gly His Gln Glu Glu Ile Asn His Asn Leu Val Ala Ile Gly Lys	
345 350 355	
gag ata gtg aaa aaa tgt ggt ggt gtg cct cta gca gct aaa act ctt	1454
Glu Ile Val Lys Lys Cys Gly Gly Val Pro Leu Ala Ala Lys Thr Leu	
360 365 370	
gga ggt att ttg cga ttc aag aga caa gaa aga cag tgg gaa cat gtg	1502
Gly Gly Ile Leu Arg Phe Lys Arg Gln Glu Arg Gln Trp Glu His Val	
375 380 385	

aga gat agt gag att tgg aaa ttg cct caa gaa gaa agt tct att ctg Arg Asp Ser Glu Ile Trp Lys Leu Pro Gln Glu Glu Ser Ser Ile Leu 390 395 400 405	1550
ccg gcc ctg aaa ctt agt tac cat cat ctt cca ctt gat ttg aga caa Pro Ala Leu Lys Leu Ser Tyr His His Leu Pro Leu Asp Leu Arg Gln 410 415 420	1598
tgc ttt tca tat tgt gca gta ttc cca aag gat acc aaa atg gaa aag Cys Phe Ser Tyr Cys Ala Val Phe Pro Lys Asp Thr Lys Met Glu Lys 425 430 435	1646
gaa aat cta atc tct ctc tgg atg gca cat ggt ttt ctt tta tcg aaa Glu Asn Leu Ile Ser Leu Trp Met Ala His Gly Phe Leu Leu Ser Lys 440 445 450	1694
gga aac ttg gag cta gag gat gta ggt aat gaa gta tgg aat gaa tta Gly Asn Leu Glu Leu Glu Asp Val Gly Asn Glu Val Trp Asn Glu Leu 455 460 465	1742
tac ttg agg tct ttc ttc caa gag att gaa gtt aca tat ggt aaa act Tyr Leu Arg Ser Phe Phe Gln Glu Ile Glu Val Thr Tyr Gly Lys Thr 470 475 480 485	1790
tat ttc aag atg cat gat ctc atc cat gat ttg gct aca tct cta ttt Tyr Phe Lys Met His Asp Leu Ile His Asp Leu Ala Thr Ser Leu Phe 490 495 500	1838
tcg gca agc gca tca agc aac aat atc cgt gaa ata aat gta aaa ggt Ser Ala Ser Ala Ser Ser Asn Asn Ile Arg Glu Ile Asn Val Lys Gly 505 510 515	1886
tac cca cat atg atg tcg att ggc ttt gca aaa gtg gtg tct ttt tac Tyr Pro His Met Met Ser Ile Gly Phe Ala Lys Val Val Ser Phe Tyr 520 525 530	1934
tct cgt tct cac ttc caa aag ttt gtc tcg tta agg gtg ctt aat cta Ser Arg Ser His Phe Gln Lys Phe Val Ser Leu Arg Val Leu Asn Leu 535 540 545	1982
agt aac tta gaa ctc aag cag tta cca tct tca att ggg gat cta gta Ser Asn Leu Glu Leu Lys Gln Leu Pro Ser Ser Ile Gly Asp Leu Val 550 555 560 565	2030
cat tta aga tac cta aac ttg tct gac aat aat aga att cgt agt ctt His Leu Arg Tyr Leu Asn Leu Ser Asp Asn Asn Arg Ile Arg Ser Leu 570 575 580	2078
ccc aag cag tta tgc aag ctt caa aat ctg cag act ctt gat cta cgt Pro Lys Gln Leu Cys Lys Leu Gln Asn Leu Gln Thr Leu Asp Leu Arg 585 590 595	2126
tgt tgc tac aga ctt tct tgt ttg cca aaa gaa aca agc aaa ctt ggt Cys Cys Tyr Arg Leu Ser Cys Leu Pro Lys Glu Thr Ser Lys Leu Gly 600 605 610	2174
agt ctc cga aat ctt tta ctt gat cgt tgc cat gga ttg act tgt atg Ser Leu Arg Asn Leu Leu Leu Asp Arg Cys His Gly Leu Thr Cys Met 615 620 625	2222

cca cca agg ata gga tca ttg aca tgc ctt aag act cta gat cgc ttt Pro Pro Arg Ile Gly Ser Leu Thr Cys Leu Lys Thr Leu Asp Arg Phe 630 635 640 645	2270
gca atg gga agg gag aaa agt cct caa att ggt gaa tta cga aac ctg Ala Met Gly Arg Glu Lys Ser Pro Gln Ile Gly Glu Leu Arg Asn Leu 650 655 660	2318
aat ctc tat ggc tca att tca atc acg cat ctt gag aga gtg aag aat Asn Leu Tyr Gly Ser Ile Ser Ile Thr His Leu Glu Arg Val Lys Asn 665 670 675	2366
gat atg gat gca aaa gaa gcc aat tta tct tca aaa gaa aat ctg cat Asp Met Asp Ala Lys Glu Ala Asn Leu Ser Ser Lys Glu Asn Leu His 680 685 690	2414
tct tta agt atg ata tgg gat gaa gat gaa cgt cca cat aga tat gaa Ser Leu Ser Met Ile Trp Asp Glu Asp Glu Arg Pro His Arg Tyr Glu 695 700 705	2462
tca gaa gat gtt gaa gtg ctt gaa gcc ctc aaa cca cac tcc aat ctg Ser Glu Asp Val Glu Val Leu Glu Ala Leu Lys Pro His Ser Asn Leu 710 715 720 725	2510
act tgt tta aca att att ggc ttc aga gga atc cgt ctc cca gac tgg Thr Cys Leu Thr Ile Ile Gly Phe Arg Gly Ile Arg Leu Pro Asp Trp 730 735 740	2558
atg aat cac tca gtt ttg aaa aat gtt gtc tct ctt gaa atc agc gat Met Asn His Ser Val Leu Lys Asn Val Val Ser Leu Glu Ile Ser Asp 745 750 755	2606
tgc aaa aac tgc tca tgc tta cca ccc ttt ggt gaa ctg cct tgt cta Cys Lys Asn Cys Ser Cys Leu Pro Pro Phe Gly Glu Leu Pro Cys Leu 760 765 770	2654
aat agt cta cag tta tgg agt ggg tct gca gaa gtg gag tat att gat Asn Ser Leu Gln Leu Trp Ser Gly Ser Ala Glu Val Glu Tyr Ile Asp 775 780 785	2702
tct gga ttc cct aca aga aga agg ttt cca tct ctg aga aaa ctt att Ser Gly Phe Pro Thr Arg Arg Arg Phe Pro Ser Leu Arg Lys Leu Ile 790 795 800 805	2750
ata ggc gaa ttt gat aat ctg aaa gga ttg gtg aaa aag gaa gga gaa Ile Gly Glu Phe Asp Asn Leu Lys Gly Leu Val Lys Lys Glu Gly Glu 810 815 820	2798
gag caa ttc cct gtg ctt gaa gag atg gag att aac tgg tgc cct atg Glu Gln Phe Pro Val Leu Glu Glu Met Glu Ile Asn Trp Cys Pro Met 825 830 835	2846
ttt gtt att ccg acc ctt tct tct gtc aac aaa ttg gta gtt agt ggg Phe Val Ile Pro Thr Leu Ser Ser Val Asn Lys Leu Val Val Ser Gly 840 845 850	2894
gaa gag tca gat gca ata ggc ttc agt tcc ata tct aat ctc agg gct Glu Glu Ser Asp Ala Ile Gly Phe Ser Ser Ile Ser Asn Leu Arg Ala 855 860 865	2942
ctt act tct ctc aat att agc tat aac tct gaa gct act tca ctc cca	2990

Leu Thr Ser Leu Asn Ile Ser Tyr Asn Ser Glu Ala Thr Ser Leu Pro	
870 875 880 885	
gaa gag atg ttc aaa agc ctt gca aat cta aaa tac ttg aat atc tat	3038
Glu Glu Met Phe Lys Ser Leu Ala Asn Leu Lys Tyr Leu Asn Ile Tyr	
890 895 900	
tac ttc aag aat ctc aaa gag ctg cct acc aac ctg gct agt ctt aat	3086
Tyr Phe Lys Asn Leu Lys Glu Leu Pro Thr Asn Leu Ala Ser Leu Asn	
905 910 915	
gct ttg aag aat ctg gaa att gaa agt tgt tat gca cta gag agt ctc	3134
Ala Leu Lys Asn Leu Glu Ile Glu Ser Cys Tyr Ala Leu Glu Ser Leu	
920 925 930	
ccc gag gaa ggt gtg aaa ggt tta act tca ctt aca caa tta tcc ata	3182
Pro Glu Glu Gly Val Lys Gly Leu Thr Ser Leu Thr Gln Leu Ser Ile	
935 940 945	
aca tac tgc acg atg cta caa tgt tta tcg gag gga ttg cag cac cta	3230
Thr Tyr Cys Thr Met Leu Gln Cys Leu Ser Glu Gly Leu Gln His Leu	
950 955 960 965	
aca gcc ctc aca aat tta tca gtt agg gat tgt cca aca ctg gcc aag	3278
Thr Ala Leu Thr Asn Leu Ser Val Arg Asp Cys Pro Thr Leu Ala Lys	
970 975 980	
cga tgt gag aag gga ata gga gaa gac tgg tac aaa att gct cac att	3326
Arg Cys Glu Lys Gly Ile Gly Glu Asp Trp Tyr Lys Ile Ala His Ile	
985 990 995	
cct gat gtg ttt atc cgt taa	3347
Pro Asp Val Phe Ile Arg	
1000	

<210> 6
 <211> 1003
 <212> PRT
 <213> Solanum bulbocastanum

<400> 6

Met Ala Glu Ala Phe Leu Gln Val Leu Leu Asp Asn Leu Thr Cys Phe	
1 5 10 15	
Ile Gln Gly Glu Val Gly Leu Ile Leu Gly Phe Lys Asp Glu Phe Glu	
20 25 30	
Lys Leu Gln Ser Thr Phe Thr Thr Ile Gln Ala Val Leu Glu Asp Ala	
35 40 45	
Gln Lys Lys Gln Leu Lys Asp Lys Ala Ile Glu Asn Trp Leu Gln Lys	
50 55 60	
Leu Asn Ala Ala Val Tyr Glu Ala Asp Asp Ile Leu Asp Glu Cys Lys	
65 70 75 80	

Thr Glu Ala Pro Ile Arg Gln Lys Lys Asn Lys Tyr Gly Cys Tyr His
85 90 95

Pro Asn Val Ile Ala Phe Arg His Lys Ile Gly Lys Arg Met Lys Lys
100 105 110

Ile Met Glu Lys Leu Asp Val Ile Ala Ala Glu Arg Ile Lys Phe His
115 120 125

Leu Ala Glu Arg Thr Thr Glu Arg Gln Val Ala Thr Arg Gln Thr Gly
130 135 140

Ala His Leu Arg Tyr Phe Ser Leu Thr Pro Thr Glu Leu Gly Pro Gly
145 150 155 160

Phe Val Leu Asn Glu Pro Gln Val Tyr Gly Arg Asp Lys Glu Lys Asp
165 170 175

Glu Ile Val Lys Ile Leu Ile Asn Ile Val Ser Asp Ala Gln Thr Leu
180 185 190

Ser Val Leu Pro Ile Leu Gly Met Gly Gly Leu Gly Lys Thr Thr Leu
195 200 205

Ala Gln Met Val Phe Asn Asp Gln Arg Val Ile Glu His Phe Leu Pro
210 215 220

Lys Ile Trp Ile Cys Val Ser Glu Asp Phe Asn Glu Lys Arg Leu Ile
225 230 235 240

Lys Glu Ile Val Glu Ser Ile Glu Glu Lys Ser Leu Gly Asp Met Asp
245 250 255

Leu Ala Pro Leu Gln Lys Lys Leu Gln Asp Leu Leu Asn Gly Lys Lys
260 265 270

Tyr Leu Leu Val Leu Asp Asp Ile Trp Asn Glu Asp Gln Asp Lys Trp
275 280 285

Ala Lys Leu Arg Glu Val Leu Lys Val Gly Ala Ser Gly Ala Ser Ile
290 295 300

Leu Thr Thr Thr Arg Leu Glu Lys Val Gly Ser Ile Met Gln Thr Leu
305 310 315 320

Gln Pro Tyr Glu Leu Ser Asn Leu Cys Gln Glu Asp Cys Trp Leu Leu
325 330 335

Phe Met Gln Arg Ala Phe Gly His Gln Glu Glu Ile Asn His Asn Leu
340 345 350

Val Ala Ile Gly Lys Glu Ile Val Lys Lys Cys Gly Gly Val Pro Leu
355 360 365

Ala Ala Lys Thr Leu Gly Gly Ile Leu Arg Phe Lys Arg Gln Glu Arg
370 375 380

Gln Trp Glu His Val Arg Asp Ser Glu Ile Trp Lys Leu Pro Gln Glu
385 390 395 400

Glu Ser Ser Ile Leu Pro Ala Leu Lys Leu Ser Tyr His His Leu Pro
405 410 415

Leu Asp Leu Arg Gln Cys Phe Ser Tyr Cys Ala Val Phe Pro Lys Asp
420 425 430

Thr Lys Met Glu Lys Glu Asn Leu Ile Ser Leu Trp Met Ala His Gly
435 440 445

Phe Leu Leu Ser Lys Gly Asn Leu Glu Leu Glu Asp Val Gly Asn Glu
450 455 460

Val Trp Asn Glu Leu Tyr Leu Arg Ser Phe Phe Gln Glu Ile Glu Val
465 470 475 480

Thr Tyr Gly Lys Thr Tyr Phe Lys Met His Asp Leu Ile His Asp Leu
485 490 495

Ala Thr Ser Leu Phe Ser Ala Ser Ala Ser Ser Asn Asn Ile Arg Glu
500 505 510

Ile Asn Val Lys Gly Tyr Pro His Met Met Ser Ile Gly Phe Ala Lys
515 520 525

Val Val Ser Phe Tyr Ser Arg Ser His Phe Gln Lys Phe Val Ser Leu
530 535 540

Arg Val Leu Asn Leu Ser Asn Leu Glu Leu Lys Gln Leu Pro Ser Ser
545 550 555 560

Ile Gly Asp Leu Val His Leu Arg Tyr Leu Asn Leu Ser Asp Asn Asn
565 570 575

Arg Ile Arg Ser Leu Pro Lys Gln Leu Cys Lys Leu Gln Asn Leu Gln
580 585 590

Thr Leu Asp Leu Arg Cys Cys Tyr Arg Leu Ser Cys Leu Pro Lys Glu
595 600 605

Thr Ser Lys Leu Gly Ser Leu Arg Asn Leu Leu Leu Asp Arg Cys His
610 615 620

Gly Leu Thr Cys Met Pro Pro Arg Ile Gly Ser Leu Thr Cys Leu Lys
625 630 635 640

Thr Leu Asp Arg Phe Ala Met Gly Arg Glu Lys Ser Pro Gln Ile Gly
645 650 655

Glu Leu Arg Asn Leu Asn Leu Tyr Gly Ser Ile Ser Ile Thr His Leu
660 665 670

Glu Arg Val Lys Asn Asp Met Asp Ala Lys Glu Ala Asn Leu Ser Ser
675 680 685

Lys Glu Asn Leu His Ser Leu Ser Met Ile Trp Asp Glu Asp Glu Arg
690 695 700

Pro His Arg Tyr Glu Ser Glu Asp Val Glu Val Leu Glu Ala Leu Lys
705 710 715 720

Pro His Ser Asn Leu Thr Cys Leu Thr Ile Ile Gly Phe Arg Gly Ile
725 730 735

Arg Leu Pro Asp Trp Met Asn His Ser Val Leu Lys Asn Val Val Ser
740 745 750

Leu Glu Ile Ser Asp Cys Lys Asn Cys Ser Cys Leu Pro Pro Phe Gly
755 760 765

Glu Leu Pro Cys Leu Asn Ser Leu Gln Leu Trp Ser Gly Ser Ala Glu
770 775 780

Val Glu Tyr Ile Asp Ser Gly Phe Pro Thr Arg Arg Arg Phe Pro Ser
785 790 795 800

Leu Arg Lys Leu Ile Ile Gly Glu Phe Asp Asn Leu Lys Gly Leu Val

<220>
 <221> Intron
 <222> (529)..(690)

 <220>
 <221> CDS
 <222> (691)..(3219)

 <400> 7
 aaatcagtcac ttttaaatctg tttcaattaa cttttgtggtt acagtgaatt ccaacat 57

 atg gct gaa gct ttc ctt caa gtt ctg cta ggc aat atc act tct ttc 105
 Met Ala Glu Ala Phe Leu Gln Val Leu Leu Gly Asn Ile Thr Ser Phe
 1 5 10 15

 atc caa ggg gaa ctt gta ttg ctt ttc ggt ttt gaa aac gac ttc aga 153
 Ile Gln Gly Glu Leu Val Leu Leu Phe Gly Phe Glu Asn Asp Phe Arg
 20 25 30

 aag ctt tca agc aca ttt tct acg atc caa ctt gtg ctt gaa gat gct 201
 Lys Leu Ser Ser Thr Phe Ser Thr Ile Gln Leu Val Leu Glu Asp Ala
 35 40 45

 tca gag aag caa ctg aag gac aag gca ata gag aat tgg ttg cag aaa 249
 Ser Glu Lys Gln Leu Lys Asp Lys Ala Ile Glu Asn Trp Leu Gln Lys
 50 55 60

 ctc aat ttt gct gca tat gaa gtc gat gac atc ttg gat gaa tgt aaa 297
 Leu Asn Phe Ala Ala Tyr Glu Val Asp Asp Ile Leu Asp Glu Cys Lys
 65 70 75 80

 aat gag gca gca aga ttc aat cag tcc tta tta ggg tat att cat cca 345
 Asn Glu Ala Ala Arg Phe Asn Gln Ser Leu Leu Gly Tyr Ile His Pro
 85 90 95

 aag atc atc att ttt cgt tac aag ctc gga aaa aga atg aaa aga atg 393
 Lys Ile Ile Ile Phe Arg Tyr Lys Leu Gly Lys Arg Met Lys Arg Met
 100 105 110

 atg gag aaa cta gat gca att gct gac gaa aga agg aag ttt cat ttg 441
 Met Glu Lys Leu Asp Ala Ile Ala Asp Glu Arg Arg Lys Phe His Leu
 115 120 125

 cgt gca aag att gtc gag aaa caa gct tct aaa cgt gaa aca ggt gct 489
 Arg Ala Lys Ile Val Glu Lys Gln Ala Ser Lys Arg Glu Thr Gly Ala
 130 135 140

 cat ctt aaa ctg tgt tta gcc aag tac tta cta ata gct tagttttata 538
 His Leu Lys Leu Cys Leu Ala Lys Tyr Leu Leu Ile Ala
 145 150 155

 ttcatctttt tgtagttacc agattctata catgtttggtt ccatgtcagc ccttccttgt 598

 gtcttttttgt tttgcaaaaa tcttctatta ttctgtctga ctcttttttag tgagcttgaa 658

 ttttaataaaa tttgtgttcg cattgcttgt ga aca ggt ttt gtt tta gca gag 711
 Thr Gly Phe Val Leu Ala Glu
 160

 cca aaa gtt tat gga agg gac aaa gag aag gat gag atg gtg aaa atc 759
 Pro Lys Val Tyr Gly Arg Asp Lys Glu Lys Asp Glu Met Val Lys Ile

165					170					175					180	
ttg	ata	aac	agt	gtt	agt	aat	gcc	caa	gaa	cta	tta	gtg	ctc	cca	ata	807
Leu	Ile	Asn	Ser	Val	Ser	Asn	Ala	Gln	Glu	Leu	Leu	Val	Leu	Pro	Ile	
				185					190					195		
ctt	ggg	atg	ggg	gga	cta	gga	aag	aca	aca	ctt	gcc	caa	atg	att	ttt	855
Leu	Gly	Met	Gly	Gly	Leu	Gly	Lys	Thr	Thr	Leu	Ala	Gln	Met	Ile	Phe	
			200					205					210			
aat	gat	cag	agc	gtg	act	gca	cat	ttc	aat	cta	aag	ata	tgg	gtt	tgt	903
Asn	Asp	Gln	Ser	Val	Thr	Ala	His	Phe	Asn	Leu	Lys	Ile	Trp	Val	Cys	
		215					220					225				
gtc	tca	gat	gat	ttt	gat	gag	aag	agg	ttg	ata	aag	gca	att	gta	gaa	951
Val	Ser	Asp	Asp	Phe	Asp	Glu	Lys	Arg	Leu	Ile	Lys	Ala	Ile	Val	Glu	
	230					235					240					
tct	att	gaa	aga	agg	cca	ctt	ggg	gac	ata	gac	ttg	gct	ccc	ctc	cag	999
Ser	Ile	Glu	Arg	Arg	Pro	Leu	Gly	Asp	Ile	Asp	Leu	Ala	Pro	Leu	Gln	
245					250				255						260	
aag	aag	ctt	cag	gag	ttg	ttg	aat	gga	aaa	aga	tac	ttt	ctt	gtt	tta	1047
Lys	Lys	Leu	Gln	Glu	Leu	Leu	Asn	Gly	Lys	Arg	Tyr	Phe	Leu	Val	Leu	
			265					270					275			
gat	gat	gtt	tgg	aat	gaa	gat	caa	gaa	aag	tgg	gct	aag	ata	aaa	gca	1095
Asp	Asp	Val	Trp	Asn	Glu	Asp	Gln	Glu	Lys	Trp	Ala	Lys	Ile	Lys	Ala	
		280						285					290			
gtc	tta	aag	gtt	gga	gca	caa	ggg	tct	tct	att	cta	gcc	act	act	cgt	1143
Val	Leu	Lys	Val	Gly	Ala	Gln	Gly	Ser	Ser	Ile	Leu	Ala	Thr	Thr	Arg	
		295					300					305				
ctt	gaa	agg	gtc	gga	tca	att	atg	gga	act	tgg	caa	cca	tat	cag	tta	1191
Leu	Glu	Arg	Val	Gly	Ser	Ile	Met	Gly	Thr	Trp	Gln	Pro	Tyr	Gln	Leu	
	310					315					320					
tca	att	ttg	tct	cca	gaa	tat	tgt	tgg	ttg	ttg	ttc	aag	caa	cgt	gca	1239
Ser	Ile	Leu	Ser	Pro	Glu	Tyr	Cys	Trp	Leu	Leu	Phe	Lys	Gln	Arg	Ala	
325					330				335						340	
ttt	ggc	cac	caa	acg	gaa	aca	aat	cct	gcc	ctt	gtg	ggg	att	gga	aaa	1287
Phe	Gly	His	Gln	Thr	Glu	Thr	Asn	Pro	Ala	Leu	Val	Gly	Ile	Gly	Lys	
			345					350					355			
gag	att	gtg	aag	aaa	tgt	ggg	ggg	gtg	cct	cta	gca	gcc	aag	act	ctt	1335
Glu	Ile	Val	Lys	Lys	Cys	Gly	Gly	Val	Pro	Leu	Ala	Ala	Lys	Thr	Leu	
		360						365					370			
gga	ggg	ctt	tta	cgc	ttc	aag	aga	gaa	gaa	agt	gaa	tgg	gaa	cat	gtg	1383
Gly	Gly	Leu	Leu	Arg	Phe	Lys	Arg	Glu	Glu	Ser	Glu	Trp	Glu	His	Val	
		375				380						385				
aaa	gat	agt	gag	att	tgg	aat	tta	cct	caa	gat	gaa	aat	tct	gtt	ttg	1431
Lys	Asp	Ser	Glu	Ile	Trp	Asn	Leu	Pro	Gln	Asp	Glu	Asn	Ser	Val	Leu	
	390					395				400						
cct	tcc	ctg	agg	ctg	agt	tat	cat	cac	ctt	cca	ctt	aat	ttg	aga	caa	1479
Pro	Ser	Leu	Arg	Leu	Ser	Tyr	His	His	Leu	Pro	Leu	Asn	Leu	Arg	Gln	
405					410				415						420	

tgt ttt gca tat tgt gcg gta ttc cca aag gac acc aaa ata gaa aag	1527
Cys Phe Ala Tyr Cys Ala Val Phe Pro Lys Asp Thr Lys Ile Glu Lys	
425 430 435	
gaa tat ctc atc act ctc tgg atg gca cat ggt ttt ctt tta tca aaa	1575
Glu Tyr Leu Ile Thr Leu Trp Met Ala His Gly Phe Leu Leu Ser Lys	
440 445 450	
gaa aat tca gag cta gag gat gtg ggt aat gaa gta tgg aaa gaa tta	1623
Glu Asn Ser Glu Leu Glu Asp Val Gly Asn Glu Val Trp Lys Glu Leu	
455 460 465	
tac ttg agg tct ttc ttc caa gag gtc gaa gaa tat aaa ttt ggt aat	1671
Tyr Leu Arg Ser Phe Phe Gln Glu Val Glu Glu Tyr Lys Phe Gly Asn	
470 475 480	
act tat ttc aag atg cat gat ctc atc cac gat ttg gct aca tct ctg	1719
Thr Tyr Phe Lys Met His Asp Leu Ile His Asp Leu Ala Thr Ser Leu	
485 490 495 500	
ttc tca aca aac aca agg agc agc aaa att cgt caa ata aga gta gca	1767
Phe Ser Thr Asn Thr Arg Ser Ser Lys Ile Arg Gln Ile Arg Val Ala	
505 510 515	
cag aaa aat aca att cct att ggt ttt gct gaa gtg gtg cct tct tat	1815
Gln Lys Asn Thr Ile Pro Ile Gly Phe Ala Glu Val Val Pro Ser Tyr	
520 525 530	
tct cct tta atc ttt aaa agg ttt gtc tcg cta agg gtt ctt gat atg	1863
Ser Pro Leu Ile Phe Lys Arg Phe Val Ser Leu Arg Val Leu Asp Met	
535 540 545	
aaa ttt tca aag ttt gat cag tta tca tct tcc atc gga gat cta ata	1911
Lys Phe Ser Lys Phe Asp Gln Leu Ser Ser Ser Ile Gly Asp Leu Ile	
550 555 560	
cat tta agg ttg ttg aac ttg cgt ggc agt agc att cgt agc ctt cca	1959
His Leu Arg Leu Leu Asn Leu Arg Gly Ser Ser Ile Arg Ser Leu Pro	
565 570 575 580	
aag agg tta tgc aag ctt caa aat ctg cag aca ctt gat ata tca tgt	2007
Lys Arg Leu Cys Lys Leu Gln Asn Leu Gln Thr Leu Asp Ile Ser Cys	
585 590 595	
tgt ttc tca ctt tct tat att cca aaa caa ata agt aaa tta agt agt	2055
Cys Phe Ser Leu Ser Tyr Ile Pro Lys Gln Ile Ser Lys Leu Ser Ser	
600 605 610	
ctt aga aat ctt gtg ttc agt ggt tgt caa ata act tct atg cca cca	2103
Leu Arg Asn Leu Val Phe Ser Gly Cys Gln Ile Thr Ser Met Pro Pro	
615 620 625	
aga ata gga tca ttg aca tgc ctt aag act cta gat tac ttt att gtc	2151
Arg Ile Gly Ser Leu Thr Cys Leu Lys Thr Leu Asp Tyr Phe Ile Val	
630 635 640	
ggc gag agg aaa ggt tat caa ctt ggt gaa cta cgg aat cta agc cta	2199
Gly Glu Arg Lys Gly Tyr Gln Leu Gly Glu Leu Arg Asn Leu Ser Leu	
645 650 655 660	

cat ggt tca ctt tca atc tca cat ctt gag aga gtg aag agt gaa acg	2247
His Gly Ser Leu Ser Ile Ser His Leu Glu Arg Val Lys Ser Glu Thr	
665 670 675	
gat gca aaa gaa gct aat tta tct acc aaa caa aaa ttg tac aat tta	2295
Asp Ala Lys Glu Ala Asn Leu Ser Thr Lys Gln Lys Leu Tyr Asn Leu	
680 685 690	
tgc atg agt tgg gat att agg cca tat gga tat gaa tca gaa aac aat	2343
Cys Met Ser Trp Asp Ile Arg Pro Tyr Gly Tyr Glu Ser Glu Asn Asn	
695 700 705	
ttg gat gaa aaa gtg ctt gaa gcc ctc aga cca cac tcc aac ctg aaa	2391
Leu Asp Glu Lys Val Leu Glu Ala Leu Arg Pro His Ser Asn Leu Lys	
710 715 720	
tca cta aag ctc att ggc ttc aga ggt ttt cat ttt cca aat tgg atg	2439
Ser Leu Lys Leu Ile Gly Phe Arg Gly Phe His Phe Pro Asn Trp Met	
725 730 735 740	
aac gct tcg gtt ttg aaa aat gtc gtc tct att gaa att gaa tgt gaa	2487
Asn Ala Ser Val Leu Lys Asn Val Val Ser Ile Glu Ile Glu Cys Glu	
745 750 755	
aac tgc tgg cgt tta cca cca ttt gga gag ctg cct tgt cta gaa agt	2535
Asn Cys Trp Arg Leu Pro Pro Phe Gly Glu Leu Pro Cys Leu Glu Ser	
760 765 770	
cta aag tta tac aac gga tct gcg gag gtg gag tat att gaa gag gat	2583
Leu Lys Leu Tyr Asn Gly Ser Ala Glu Val Glu Tyr Ile Glu Glu Asp	
775 780 785	
gat ggt cat tcc aca tta aag ttc cca tac ttg aaa cga ctt gct att	2631
Asp Gly His Ser Thr Leu Lys Phe Pro Tyr Leu Lys Arg Leu Ala Ile	
790 795 800	
gaa aga ttt cca aat ctg aaa gga ctg ctg aga agt gaa gga gaa gag	2679
Glu Arg Phe Pro Asn Leu Lys Gly Leu Leu Arg Ser Glu Gly Glu Glu	
805 810 815 820	
aaa ttc tcc atg ctt gaa gaa atg gaa att tgg cat tgc cct atg ttt	2727
Lys Phe Ser Met Leu Glu Glu Met Glu Ile Trp His Cys Pro Met Phe	
825 830 835	
gtt ttt cca gca ttc tct tct gtc acg aaa ttg gat gtc tgg ggg gaa	2775
Val Phe Pro Ala Phe Ser Ser Val Thr Lys Leu Asp Val Trp Gly Glu	
840 845 850	
ata gat gca gca agt ctt agc tcc ata tct aag ctt acc act ctt acg	2823
Ile Asp Ala Ala Ser Leu Ser Ser Ile Ser Lys Leu Thr Thr Leu Thr	
855 860 865	
tct ctc tct att gat cat aac ttt gaa gca aca act ctc cca gaa gag	2871
Ser Leu Ser Ile Asp His Asn Phe Glu Ala Thr Thr Leu Pro Glu Glu	
870 875 880	
atg ttc aaa cgc ctt gta aat ctt gag tcc ttg agc att ata tac ttc	2919
Met Phe Lys Arg Leu Val Asn Leu Glu Ser Leu Ser Ile Ile Tyr Phe	
885 890 895 900	
aaa aaa ctc aga gag ttg cca agc agc ctg gct agc ctc aat gct ttg	2967

Lys Lys Leu Arg Glu Leu Pro Ser Ser Leu Ala Ser Leu Asn Ala Leu
 905 910 915
 aag tgt cta aaa att cat tat tgt tac gca cta gag agt ctc ccc gaa 3015
 Lys Cys Leu Lys Ile His Tyr Cys Tyr Ala Leu Glu Ser Leu Pro Glu
 920 925 930
 caa ggg atg gaa ggg tta act tca ctc acc gac tta tat gtt caa aac 3063
 Gln Gly Met Glu Gly Leu Thr Ser Leu Thr Asp Leu Tyr Val Gln Asn
 935 940 945
 tgt gag atg cta aaa tgt tta cct gag gga ttg cag cac cta aga gcc 3111
 Cys Glu Met Leu Lys Cys Leu Pro Glu Gly Leu Gln His Leu Arg Ala
 950 955 960
 ctc act agt tta caa att tat ggc tgt cca gca ttg aaa aag cgg tgt 3159
 Leu Thr Ser Leu Gln Ile Tyr Gly Cys Pro Ala Leu Lys Lys Arg Cys
 965 970 975 980
 gcg aag ggg ata gga gag gac tgg cac aaa att gct cac att cct aat 3207
 Ala Lys Gly Ile Gly Glu Asp Trp His Lys Ile Ala His Ile Pro Asn
 985 990 995
 gta gat att tgt tag 3222
 Val Asp Ile Cys
 1000

<210> 8
 <211> 1000
 <212> PRT
 <213> Solanum Bulbocastanum

<400> 8

Met Ala Glu Ala Phe Leu Gln Val Leu Leu Gly Asn Ile Thr Ser Phe
 1 5 10 15
 Ile Gln Gly Glu Leu Val Leu Leu Phe Gly Phe Glu Asn Asp Phe Arg
 20 25 30
 Lys Leu Ser Ser Thr Phe Ser Thr Ile Gln Leu Val Leu Glu Asp Ala
 35 40 45
 Ser Glu Lys Gln Leu Lys Asp Lys Ala Ile Glu Asn Trp Leu Gln Lys
 50 55 60
 Leu Asn Phe Ala Ala Tyr Glu Val Asp Asp Ile Leu Asp Glu Cys Lys
 65 70 75 80
 Asn Glu Ala Ala Arg Phe Asn Gln Ser Leu Leu Gly Tyr Ile His Pro
 85 90 95
 Lys Ile Ile Ile Phe Arg Tyr Lys Leu Gly Lys Arg Met Lys Arg Met
 100 105 110

Met Glu Lys Leu Asp Ala Ile Ala Asp Glu Arg Arg Lys Phe His Leu
 115 120 125

Arg Ala Lys Ile Val Glu Lys Gln Ala Ser Lys Arg Glu Thr Gly Ala
 130 135 140

His Leu Lys Leu Cys Leu Ala Lys Tyr Leu Leu Ile Ala Thr Gly Phe
 145 150 155 160

Val Leu Ala Glu Pro Lys Val Tyr Gly Arg Asp Lys Glu Lys Asp Glu
 165 170 175

Met Val Lys Ile Leu Ile Asn Ser Val Ser Asn Ala Gln Glu Leu Leu
 180 185 190

Val Leu Pro Ile Leu Gly Met Gly Gly Leu Gly Lys Thr Thr Leu Ala
 195 200 205

Gln Met Ile Phe Asn Asp Gln Ser Val Thr Ala His Phe Asn Leu Lys
 210 215 220

Ile Trp Val Cys Val Ser Asp Asp Phe Asp Glu Lys Arg Leu Ile Lys
 225 230 235 240

Ala Ile Val Glu Ser Ile Glu Arg Arg Pro Leu Gly Asp Ile Asp Leu
 245 250 255

Ala Pro Leu Gln Lys Lys Leu Gln Glu Leu Leu Asn Gly Lys Arg Tyr
 260 265 270

Phe Leu Val Leu Asp Asp Val Trp Asn Glu Asp Gln Glu Lys Trp Ala
 275 280 285

Lys Ile Lys Ala Val Leu Lys Val Gly Ala Gln Gly Ser Ser Ile Leu
 290 295 300

Ala Thr Thr Arg Leu Glu Arg Val Gly Ser Ile Met Gly Thr Trp Gln
 305 310 315 320

Pro Tyr Gln Leu Ser Ile Leu Ser Pro Glu Tyr Cys Trp Leu Leu Phe
 325 330 335

Lys Gln Arg Ala Phe Gly His Gln Thr Glu Thr Asn Pro Ala Leu Val
 340 345 350

Gly Ile Gly Lys Glu Ile Val Lys Lys Cys Gly Gly Val Pro Leu Ala
 355 360 365

Ala Lys Thr Leu Gly Gly Leu Leu Arg Phe Lys Arg Glu Glu Ser Glu
 370 375 380

Trp Glu His Val Lys Asp Ser Glu Ile Trp Asn Leu Pro Gln Asp Glu
 385 390 395 400

Asn Ser Val Leu Pro Ser Leu Arg Leu Ser Tyr His His Leu Pro Leu
 405 410 415

Asn Leu Arg Gln Cys Phe Ala Tyr Cys Ala Val Phe Pro Lys Asp Thr
 420 425 430

Lys Ile Glu Lys Glu Tyr Leu Ile Thr Leu Trp Met Ala His Gly Phe
 435 440 445

Leu Leu Ser Lys Glu Asn Ser Glu Leu Glu Asp Val Gly Asn Glu Val
 450 455 460

Trp Lys Glu Leu Tyr Leu Arg Ser Phe Phe Gln Glu Val Glu Glu Tyr
 465 470 475 480

Lys Phe Gly Asn Thr Tyr Phe Lys Met His Asp Leu Ile His Asp Leu
 485 490 495

Ala Thr Ser Leu Phe Ser Thr Asn Thr Arg Ser Ser Lys Ile Arg Gln
 500 505 510

Ile Arg Val Ala Gln Lys Asn Thr Ile Pro Ile Gly Phe Ala Glu Val
 515 520 525

Val Pro Ser Tyr Ser Pro Leu Ile Phe Lys Arg Phe Val Ser Leu Arg
 530 535 540

Val Leu Asp Met Lys Phe Ser Lys Phe Asp Gln Leu Ser Ser Ser Ile
 545 550 555 560

Gly Asp Leu Ile His Leu Arg Leu Leu Asn Leu Arg Gly Ser Ser Ile
 565 570 575

Arg Ser Leu Pro Lys Arg Leu Cys Lys Leu Gln Asn Leu Gln Thr Leu
 580 585 590

Asp Ile Ser Cys Cys Phe Ser Leu Ser Tyr Ile Pro Lys Gln Ile Ser
595 600 605

Lys Leu Ser Ser Leu Arg Asn Leu Val Phe Ser Gly Cys Gln Ile Thr
610 615 620

Ser Met Pro Pro Arg Ile Gly Ser Leu Thr Cys Leu Lys Thr Leu Asp
625 630 635 640

Tyr Phe Ile Val Gly Glu Arg Lys Gly Tyr Gln Leu Gly Glu Leu Arg
645 650 655

Asn Leu Ser Leu His Gly Ser Leu Ser Ile Ser His Leu Glu Arg Val
660 665 670

Lys Ser Glu Thr Asp Ala Lys Glu Ala Asn Leu Ser Thr Lys Gln Lys
675 680 685

Leu Tyr Asn Leu Cys Met Ser Trp Asp Ile Arg Pro Tyr Gly Tyr Glu
690 695 700

Ser Glu Asn Asn Leu Asp Glu Lys Val Leu Glu Ala Leu Arg Pro His
705 710 715 720

Ser Asn Leu Lys Ser Leu Lys Leu Ile Gly Phe Arg Gly Phe His Phe
725 730 735

Pro Asn Trp Met Asn Ala Ser Val Leu Lys Asn Val Val Ser Ile Glu
740 745 750

Ile Glu Cys Glu Asn Cys Trp Arg Leu Pro Pro Phe Gly Glu Leu Pro
755 760 765

Cys Leu Glu Ser Leu Lys Leu Tyr Asn Gly Ser Ala Glu Val Glu Tyr
770 775 780

Ile Glu Glu Asp Asp Gly His Ser Thr Leu Lys Phe Pro Tyr Leu Lys
785 790 795 800

Arg Leu Ala Ile Glu Arg Phe Pro Asn Leu Lys Gly Leu Leu Arg Ser
805 810 815

Glu Gly Glu Glu Lys Phe Ser Met Leu Glu Glu Met Glu Ile Trp His
820 825 830

Cys Pro Met Phe Val Phe Pro Ala Phe Ser Ser Val Thr Lys Leu Asp

835	840	845
Val Trp Gly Glu Ile Asp	Ala Ala Ser Leu Ser	Ser Ile Ser Lys Leu
850	855	860
Thr Thr Leu Thr Ser	Leu Ser Ile Asp His	Asn Phe Glu Ala Thr Thr
865	870	875 880
Leu Pro Glu Glu Met	Phe Lys Arg Leu Val	Asn Leu Glu Ser Leu Ser
885	890	895
Ile Ile Tyr Phe Lys Lys	Leu Arg Glu Leu Pro	Ser Ser Leu Ala Ser
900	905	910
Leu Asn Ala Leu Lys Cys	Leu Lys Ile His Tyr	Cys Tyr Ala Leu Glu
915	920	925
Ser Leu Pro Glu Gln Gly	Met Glu Gly Leu Thr	Ser Leu Thr Asp Leu
930	935	940
Tyr Val Gln Asn Cys	Glu Met Leu Lys Cys	Leu Pro Glu Gly Leu Gln
945	950	955 960
His Leu Arg Ala Leu Thr	Ser Leu Gln Ile Tyr	Gly Cys Pro Ala Leu
965	970	975
Lys Lys Arg Cys Ala Lys	Gly Ile Gly Glu Asp	Trp His Lys Ile Ala
980	985	990
His Ile Pro Asn Val Asp	Ile Cys	
995	1000	

<210> 9
 <211> 5028
 <212> DNA
 <213> Solanum bulbocastanum

<220>
 <221> promoter
 <222> (1)..(953)
 <223> Potato Ubi3 promoter

 <220>
 <221> gene
 <222> (973)..(4566)
 <223> Solanum bulbocastanum genomic Sbull

<220>
 <221> CDS

```

<222> (1029)..(1459)

<220>
<221> Intron
<222> (1460)..(1871)

<220>
<221> CDS
<222> (1872)..(4404)

<400> 9
aagcttgcat gcctgcaggt cgactctaga ggatccaaag cacatagtta tcgattttaa      60
tttcatcgaa gagattaata tcgaataatc atatacatatc tttaaataca taacaaattt      120
taaatacata tatctggtat ataattaatt ttttaaagtc atgaagtatg tatcaaatac      180
acatatggaa aaaattaact attcataatt taaaaaatag aaaagataca tctagtgaaa      240
ttaggtgcat gtatcaaata cattaggaaa agggcatata tcttgatcta gataattaac      300
gattttgatt tatgtataat ttccaaatga aggtttatat ctacttcaga aataacaata      360
tacttttatc agaacattca acaaagcaac aaccaactag agtgaaaaat acacattggt      420
ctctagacat acaaaattga gaaaagaatc tcaaaattta gagaaacaaa tctgaatttc      480
tagaagaaaa aaataattat gcactttgct attgctcgaa aaataaatga aagaaattag      540
acttttttaa aagatgtagg actagatata ctcaaaagct attaaaggag taatattctt      600
cttacattaa gtattttagt tacagtctcg taattaaaga cacatttttag attgtatcta      660
aacttaaatg tatctagaat acatatatctt gaatgcatca tatacatgta tccgacacac      720
caatttctcat aaaaaacgta atatcctaaa ctaattttatc cttcaagtca acttaagccc      780
aatatacatt ttcattctta aaggcccaag tggcacaaaa tgtcaggccc aattacgaag      840
aaaagggtct gtaaaaccct aataaagtgg cactggcaga gttacactc tcattccatc      900
aacaagaaaa ccctaaaagc cgcagcgcca ctgattttctc tcctccaggc gaaggatccc      960
cggggggatcc cccaacatc ttacttcatt tcaaaaaata tagattcatt gcgtactcac     1020
aatactct atg gct gaa gct ttc ctt caa gtt ctg tta gac aat ctg act     1070
      Met Ala Glu Ala Phe Leu Gln Val Leu Leu Asp Asn Leu Thr
      1              5              10

tgt ttc atc caa ggg gaa ctt gga ttg att ctt ggt ttt aag gat gag     1118
Cys Phe Ile Gln Gly Glu Leu Gly Leu Ile Leu Gly Phe Lys Asp Glu
15              20              25              30

ttc gaa aag ctt caa agc acg ttt act aca atc caa gct gtg cta gaa     1166
Phe Glu Lys Leu Gln Ser Thr Phe Thr Thr Ile Gln Ala Val Leu Glu
35              40              45

gat gct cag aag aag caa ttg aag gac aag gca ata gaa aat tgg ttg     1214
Asp Ala Gln Lys Lys Gln Leu Lys Asp Lys Ala Ile Glu Asn Trp Leu
50              55              60

```

cag aaa ctc aat gct gct gca tat gag gct gat gac atc ttg gac gaa Gln Lys Leu Asn Ala Ala Ala Tyr Glu Ala Asp Asp Ile Leu Asp Glu 65 70 75	1262
tgt aaa act gag gca cca att aga cag aag aag aac aaa tat ggg tgt Cys Lys Thr Glu Ala Pro Ile Arg Gln Lys Lys Asn Lys Tyr Gly Cys 80 85 90	1310
tat cat cca aac gtt atc act ttt cgt cac aag att ggg aaa agg atg Tyr His Pro Asn Val Ile Thr Phe Arg His Lys Ile Gly Lys Arg Met 95 100 105 110	1358
aaa aag att atg gag aaa cta gat gta att gca gcg gaa cga att aag Lys Lys Ile Met Glu Lys Leu Asp Val Ile Ala Ala Glu Arg Ile Lys 115 120 125	1406
ttt cat ttg gat gaa agg act ata gag aga caa gtt gct aca cgc caa Phe His Leu Asp Glu Arg Thr Ile Glu Arg Gln Val Ala Thr Arg Gln 130 135 140	1454
aca gg tgctcatctt agatattttt ctgaaaaaac agctttatat catcaaattc Thr Gly	1509
atgtgtgttt tgggaattcg tctaactctaa atgttcgtct caagtctaag tagataagtg	1569
gatccagctt tggattttatt aatctattag cttaaactctgt ttagtgaagt ttttaacata	1629
tataacctca gataaatcca tagcttactc ataggattag gataggcccc caagtctaaa	1689
tgacaggata aagccagagt tgtttttagct cttataaatt aacaatgata ataatgtgaa	1749
ttcaaaaaag tgcatttttt taatttgaaa tatttctgct gcttctcaag cttatcattg	1809
tcttttttact gtgcaaaatt ctactttgta tttttgctga ctctaccga gcttgggcca	1869
gg t ttt gtt ttg aat gaa cca caa gtt tat gga aga gac aaa gaa aag Phe Val Leu Asn Glu Pro Gln Val Tyr Gly Arg Asp Lys Glu Lys 145 150 155	1917
gac gag ata gtg aaa atc ctg ata aac aat gtt agc aat gcc caa aca Asp Glu Ile Val Lys Ile Leu Ile Asn Asn Val Ser Asn Ala Gln Thr 160 165 170 175	1965
ctt cca gtc ctc cca ata ctt ggt atg ggg gga cta gga aag acg act Leu Pro Val Leu Pro Ile Leu Gly Met Gly Gly Leu Gly Lys Thr Thr 180 185 190	2013
ctt gcc caa atg gtc ttc aat gat cag aga gta att gag cat ttc cat Leu Ala Gln Met Val Phe Asn Asp Gln Arg Val Ile Glu His Phe His 195 200 205	2061
ccc aaa ata tgg att tgt gtc tcg gaa gat ttt aat gag aag agg ttg Pro Lys Ile Trp Ile Cys Val Ser Glu Asp Phe Asn Glu Lys Arg Leu 210 215 220	2109
ata aag gaa att gta gaa tct att gaa gaa aag tca ctt ggt ggc atg Ile Lys Glu Ile Val Glu Ser Ile Glu Glu Lys Ser Leu Gly Gly Met 225 230 235	2157
gac ttg gct cca ctt caa aag aag ctt cgg gac ttg ctg aat gga aaa	2205

Asp 240	Leu	Ala	Pro	Leu	Gln 245	Lys	Lys	Leu	Arg	Asp 250	Leu	Leu	Asn	Gly	Lys 255	
aaa	tat	ttg	ctc	gtc	tta	gat	gat	gtt	tgg	aat	gaa	gat	caa	gat	aag	2253
Lys	Tyr	Leu	Leu	Val 260	Leu	Asp	Asp	Val	Trp 265	Asn	Glu	Asp	Gln	Asp	Lys 270	
tgg	gct	aag	tta	aga	caa	gtc	ttg	aag	gtt	gga	gca	agt	ggc	gct	tct	2301
Trp	Ala	Lys	Leu	Arg	Gln	Val	Leu	Lys 280	Val	Gly	Ala	Ser	Gly	Ala	Ser 285	
gtt	cta	acc	act	act	cgt	ctt	gaa	aag	gtt	gga	tca	att	atg	gga	aca	2349
Val	Leu	Thr 290	Thr	Thr	Arg	Leu	Glu 295	Lys	Val	Gly	Ser	Ile 300	Met	Gly	Thr	
ttg	caa	cca	tat	gaa	ttg	tca	aat	ttg	tct	caa	gaa	gat	tgt	tgg	ttg	2397
Leu	Gln	Pro	Tyr	Glu	Leu	Ser	Asn 310	Leu	Ser	Gln	Glu	Asp	Cys	Trp	Leu 315	
ttg	ttc	atg	caa	cgt	gca	ttt	ggg	cac	caa	gaa	gaa	ata	aat	ctt	aat	2445
Leu	Phe	Met	Gln	Arg	Ala	Phe	Gly 325	His	Gln	Glu	Glu	Ile	Asn	Leu	Asn 335	
ctt	gtg	gct	atc	gga	aag	gag	att	gtg	aaa	aaa	tgt	ggt	ggt	gtg	cct	2493
Leu	Val	Ala	Ile	Gly 340	Lys	Glu	Ile	Val	Lys 345	Lys	Cys	Gly	Gly	Val	Pro 350	
cta	gca	gct	aaa	act	ctt	gga	ggt	att	ttg	cgc	ttt	aag	aga	gaa	gaa	2541
Leu	Ala	Ala	Lys 355	Thr	Leu	Gly	Gly	Ile 360	Leu	Arg	Phe	Lys	Arg	Glu	Glu 365	
aga	cag	tgg	gaa	cat	gtg	aga	gat	agt	gag	att	tgg	aaa	ttg	cct	caa	2589
Arg	Gln	Trp	Glu	His	Val	Arg	Asp 375	Ser	Glu	Ile	Trp	Lys 380	Leu	Pro	Gln	
gaa	gaa	agt	tct	att	ctg	cct	gcc	ctg	aga	ctt	agt	tac	cat	cac	ctt	2637
Glu	Glu	Ser	Ser	Ile	Leu	Pro	Ala 390	Leu	Arg	Leu	Ser	Tyr	His	His	Leu 395	
cca	ctt	gat	ttg	aga	caa	tgc	ttt	aca	tat	tgt	gca	gta	ttc	cca	aag	2685
Pro	Leu	Asp	Leu	Arg	Gln	Cys	Phe 405	Thr	Tyr	Cys	Ala	Val	Phe	Pro	Lys 415	
gat	acc	gaa	atg	gaa	aag	gga	aat	cta	atc	tct	ctc	tgg	atg	gca	cat	2733
Asp	Thr	Glu	Met	Glu	Lys	Gly	Asn 420	Leu	Ile	Ser	Leu	Trp	Met	Ala	His 430	
ggt	ttt	att	tta	tcg	aaa	gga	aac	ttg	gag	cta	gag	aat	gta	ggt	aat	2781
Gly	Phe	Ile	Leu	Ser	Lys	Gly	Asn 440	Leu	Glu	Leu	Glu	Asn	Val	Gly	Asn 445	
gaa	gta	tgg	aat	gaa	tta	tac	ttg	agg	tct	ttc	ttc	caa	gag	att	gaa	2829
Glu	Val	Trp	Asn	Glu	Leu	Tyr	Leu 455	Arg	Ser	Phe	Phe	Gln	Glu	Ile	Glu 460	
gtt	aaa	tct	ggt	caa	act	tat	ttc	aag	atg	cat	gat	ctc	att	cat	gat	2877
Val	Lys	Ser	Gly	Gln	Thr	Tyr	Phe 470	Lys	Met	His	Asp	Leu	Ile	His	Asp 475	
ctg	gca	aca	tct	cta	ttt	tcg	gca	agc	aca	tca	agc	agc	aat	atc	cga	2925
Leu	Ala	Thr	Ser	Leu	Phe	Ser	Ala	Ser	Thr	Ser	Ser	Ser	Asn	Ile	Arg	

480	485	490	495	
gaa ata att gta gaa aat tac ata cat atg atg tcc att ggt ttc act				2973
Glu Ile Ile Val	Glu Asn Tyr Ile His Met Met Ser Ile Gly Phe Thr			
	500	505	510	
aaa gtg gta tct tct tac tct ctt tcc cac ttg cag aag ttt gtc tcg				3021
Lys Val Val Ser Ser Tyr Ser Leu Ser His Leu Gln Lys Phe Val Ser				
	515	520	525	
ttg agg gtg ctt aat cta agt gac ata aaa ctt aag cag tta ccg tct				3069
Leu Arg Val Leu Asn Leu Ser Asp Ile Lys Leu Lys Gln Leu Pro Ser				
	530	535	540	
tcc att gga gat cta gta cat tta aga tac cta aac ttg tct ggc aat				3117
Ser Ile Gly Asp Leu Val His Leu Arg Tyr Leu Asn Leu Ser Gly Asn				
	545	550	555	
act agt att cgt agt ctt cca aac cag tta tgc aag ctt caa aat ctg				3165
Thr Ser Ile Arg Ser Leu Pro Asn Gln Leu Cys Lys Leu Gln Asn Leu				
	560	565	570	575
cag act ctt gat cta cat ggc tgt cat tca ctt tgt tgt ttg cca aaa				3213
Gln Thr Leu Asp Leu His Gly Cys His Ser Leu Cys Cys Leu Pro Lys				
	580	585	590	
gaa aca agc aaa ctt ggt agt ctt cga aat ctt tta ctt gat ggt tgc				3261
Glu Thr Ser Lys Leu Gly Ser Leu Arg Asn Leu Leu Leu Asp Gly Cys				
	595	600	605	
tat gga ttg act tgt atg cca cca agg ata gga tct ttg aca tgc ctt				3309
Tyr Gly Leu Thr Cys Met Pro Pro Arg Ile Gly Ser Leu Thr Cys Leu				
	610	615	620	
aag act cta agt aga ttt gtg gtg gga att cag aag aaa agt tgt caa				3357
Lys Thr Leu Ser Arg Phe Val Val Gly Ile Gln Lys Lys Ser Cys Gln				
	625	630	635	
ctt ggt gaa tta cga aac ctg aat ctc tat ggc tca att gaa atc acg				3405
Leu Gly Glu Leu Arg Asn Leu Asn Leu Tyr Gly Ser Ile Glu Ile Thr				
	640	645	650	655
cat ctt gag aga gtg aag aat gat atg gat gca aaa gaa gcc aat tta				3453
His Leu Glu Arg Val Lys Asn Asp Met Asp Ala Lys Glu Ala Asn Leu				
	660	665	670	
tct gca aaa gaa aat ctg cat tct tta agc atg aaa tgg gat gac gat				3501
Ser Ala Lys Glu Asn Leu His Ser Leu Ser Met Lys Trp Asp Asp Asp				
	675	680	685	
gaa cgt cca cgt ata tat gaa tca gaa aaa gtt gaa gtg ctt gaa gct				3549
Glu Arg Pro Arg Ile Tyr Glu Ser Glu Lys Val Glu Val Leu Glu Ala				
	690	695	700	
ctc aaa cca cac tcc aat ctg act tgt tta aca atc agg ggc ttc aga				3597
Leu Lys Pro His Ser Asn Leu Thr Cys Leu Thr Ile Arg Gly Phe Arg				
	705	710	715	
gga atc cgt ctc cca gac tgg atg aat cac tca gtt ttg aaa aat gtt				3645
Gly Ile Arg Leu Pro Asp Trp Met Asn His Ser Val Leu Lys Asn Val				
	720	725	730	735

gtc tct att gaa atc atc agt tgc aaa aac tgc tca tgc tta cca ccc Val Ser Ile Glu Ile Ile Ser Cys Lys Asn Cys Ser Cys Leu Pro Pro	3693
740 745 750	
ttt ggt gag ctg cct tgt cta aaa agt cta gag tta tgg agg ggg tct Phe Gly Glu Leu Pro Cys Leu Lys Ser Leu Glu Leu Trp Arg Gly Ser	3741
755 760 765	
gcg gaa gtg gag tat gtt gat tct gga ttc cct aca aga aga agg ttt Ala Glu Val Glu Tyr Val Asp Ser Gly Phe Pro Thr Arg Arg Arg Phe	3789
770 775 780	
cca tct ctg aga aaa ctt aat ata cgc gaa ttt gat aat ctg aaa gga Pro Ser Leu Arg Lys Leu Asn Ile Arg Glu Phe Asp Asn Leu Lys Gly	3837
785 790 795	
ttg ctg aaa aag gaa gga gaa gag caa tgc cct gtg ctt gaa gag ata Leu Leu Lys Lys Glu Gly Glu Glu Gln Cys Pro Val Leu Glu Glu Ile	3885
800 805 810 815	
gag att aaa tgt tgc cct atg ttt gtt att cca acc ctt tct tct gtc Glu Ile Lys Cys Cys Pro Met Phe Val Ile Pro Thr Leu Ser Ser Val	3933
820 825 830	
aag aaa ttg gta gtt agt ggg gac aag tca gat gca ata ggt ttc agt Lys Lys Leu Val Val Ser Gly Asp Lys Ser Asp Ala Ile Gly Phe Ser	3981
835 840 845	
tcc ata tct aat ctc atg gct ctt act tcc ctc caa att cgc tat aac Ser Ile Ser Asn Leu Met Ala Leu Thr Ser Leu Gln Ile Arg Tyr Asn	4029
850 855 860	
aaa gaa gat gct tca ctc cca gaa gag atg ttc aaa agc ctt gca aat Lys Glu Asp Ala Ser Leu Pro Glu Glu Met Phe Lys Ser Leu Ala Asn	4077
865 870 875	
ctc aaa tac ttg aat atc tct ttt tac ttc aat ctt aaa gag ctg cct Leu Lys Tyr Leu Asn Ile Ser Phe Tyr Phe Asn Leu Lys Glu Leu Pro	4125
880 885 890 895	
acc agc ctg gct agt ctc aat gct ttg aag cat ctg gaa att cat agt Thr Ser Leu Ala Ser Leu Asn Ala Leu Lys His Leu Glu Ile His Ser	4173
900 905 910	
tgt tat gca cta gag agt ctc ccc gag gaa ggt gtg aaa ggt tta att Cys Tyr Ala Leu Glu Ser Leu Pro Glu Glu Gly Val Lys Gly Leu Ile	4221
915 920 925	
tca ctc aca cag tta tcc ata aca tac tgt gaa atg cta caa tgt tta Ser Leu Thr Gln Leu Ser Ile Thr Tyr Cys Glu Met Leu Gln Cys Leu	4269
930 935 940	
ccg gag gga ttg cag cac cta aca gcc ctc aca aat tta tca gtt gag Pro Glu Gly Leu Gln His Leu Thr Ala Leu Thr Asn Leu Ser Val Glu	4317
945 950 955	
ttt tgt cca aca ctg gcc aag cgg tgt gag aag gga ata gga gaa gac Phe Cys Pro Thr Leu Ala Lys Arg Cys Glu Lys Gly Ile Gly Glu Asp	4365
960 965 970 975	

tgg tac aaa att gct cac att cct cgt gtg ttt att tat tagtattccc 4414
 Trp Tyr Lys Ile Ala His Ile Pro Arg Val Phe Ile Tyr
 980 985
 aattagatgt aattttctga ttttcttttg gaaacaaatc aactatttgt aagatctatt 4474
 tgtattatac ttgatttttc ttgggtctgt aacaataaat atttgaaatt tttcatatta 4534
 agattcagaa ttagtcttat agctaacggt atcgggtacc gagctcgaat tcggcttgat 4594
 ccaaattttg attttaatgt ttagcaaatg tcctatcagt tttctctttt tgcgaacgg 4654
 taatttagag ttttttttgc tatatggatt ttcgtttttg atgtatgtga caaccctcgg 4714
 gattgttgat ttattttcaaa actaagagtt tttgcttatt gttctcgtct attttggata 4774
 tcaatcttag ttttatactt tttctagttc tctacgtgtt aaatgttcaa cacactagca 4834
 atttggtcgc agcgtatgga ttatggaact atcaagtctg tgggatcgat aaatatgctt 4894
 ctcaggaatt tgagatttta cagtctttat gctcattggg ttgagtataa tatagtaaaa 4954
 aaatagtaaa ttaagcaat aatgttaggt gctatgtgtc tgtcgagact attggccggc 5014
 ctcaagccga attc 5028

<210> 10
 <211> 988
 <212> PRT
 <213> Solanum bulbocastanum

<400> 10

Met Ala Glu Ala Phe Leu Gln Val Leu Leu Asp Asn Leu Thr Cys Phe
 1 5 10 15

Ile Gln Gly Glu Leu Gly Leu Ile Leu Gly Phe Lys Asp Glu Phe Glu
 20 25 30

Lys Leu Gln Ser Thr Phe Thr Thr Ile Gln Ala Val Leu Glu Asp Ala
 35 40 45

Gln Lys Lys Gln Leu Lys Asp Lys Ala Ile Glu Asn Trp Leu Gln Lys
 50 55 60

Leu Asn Ala Ala Ala Tyr Glu Ala Asp Asp Ile Leu Asp Glu Cys Lys
 65 70 75 80

Thr Glu Ala Pro Ile Arg Gln Lys Lys Asn Lys Tyr Gly Cys Tyr His
 85 90 95

Pro Asn Val Ile Thr Phe Arg His Lys Ile Gly Lys Arg Met Lys Lys
 100 105 110

Ile Met Glu Lys Leu Asp Val Ile Ala Ala Glu Arg Ile Lys Phe His
 115 120 125

Leu Asp Glu Arg Thr Ile Glu Arg Gln Val Ala Thr Arg Gln Thr Gly
 130 135 140

Phe Val Leu Asn Glu Pro Gln Val Tyr Gly Arg Asp Lys Glu Lys Asp
 145 150 155 160

Glu Ile Val Lys Ile Leu Ile Asn Asn Val Ser Asn Ala Gln Thr Leu
 165 170 175

Pro Val Leu Pro Ile Leu Gly Met Gly Gly Leu Gly Lys Thr Thr Leu
 180 185 190

Ala Gln Met Val Phe Asn Asp Gln Arg Val Ile Glu His Phe His Pro
 195 200 205

Lys Ile Trp Ile Cys Val Ser Glu Asp Phe Asn Glu Lys Arg Leu Ile
 210 215 220

Lys Glu Ile Val Glu Ser Ile Glu Glu Lys Ser Leu Gly Gly Met Asp
 225 230 235 240

Leu Ala Pro Leu Gln Lys Lys Leu Arg Asp Leu Leu Asn Gly Lys Lys
 245 250 255

Tyr Leu Leu Val Leu Asp Asp Val Trp Asn Glu Asp Gln Asp Lys Trp
 260 265 270

Ala Lys Leu Arg Gln Val Leu Lys Val Gly Ala Ser Gly Ala Ser Val
 275 280 285

Leu Thr Thr Thr Arg Leu Glu Lys Val Gly Ser Ile Met Gly Thr Leu
 290 295 300

Gln Pro Tyr Glu Leu Ser Asn Leu Ser Gln Glu Asp Cys Trp Leu Leu
 305 310 315 320

Phe Met Gln Arg Ala Phe Gly His Gln Glu Glu Ile Asn Leu Asn Leu
 325 330 335

Val Ala Ile Gly Lys Glu Ile Val Lys Lys Cys Gly Gly Val Pro Leu
 340 345 350

Ala Ala Lys Thr Leu Gly Gly Ile Leu Arg Phe Lys Arg Glu Glu Arg
 355 360 365
 Gln Trp Glu His Val Arg Asp Ser Glu Ile Trp Lys Leu Pro Gln Glu
 370 375 380
 Glu Ser Ser Ile Leu Pro Ala Leu Arg Leu Ser Tyr His His Leu Pro
 385 390 395 400
 Leu Asp Leu Arg Gln Cys Phe Thr Tyr Cys Ala Val Phe Pro Lys Asp
 405 410 415
 Thr Glu Met Glu Lys Gly Asn Leu Ile Ser Leu Trp Met Ala His Gly
 420 425 430
 Phe Ile Leu Ser Lys Gly Asn Leu Glu Leu Glu Asn Val Gly Asn Glu
 435 440 445
 Val Trp Asn Glu Leu Tyr Leu Arg Ser Phe Phe Gln Glu Ile Glu Val
 450 455 460
 Lys Ser Gly Gln Thr Tyr Phe Lys Met His Asp Leu Ile His Asp Leu
 465 470 475 480
 Ala Thr Ser Leu Phe Ser Ala Ser Thr Ser Ser Ser Asn Ile Arg Glu
 485 490 495
 Ile Ile Val Glu Asn Tyr Ile His Met Met Ser Ile Gly Phe Thr Lys
 500 505 510
 Val Val Ser Ser Tyr Ser Leu Ser His Leu Gln Lys Phe Val Ser Leu
 515 520 525
 Arg Val Leu Asn Leu Ser Asp Ile Lys Leu Lys Gln Leu Pro Ser Ser
 530 535 540
 Ile Gly Asp Leu Val His Leu Arg Tyr Leu Asn Leu Ser Gly Asn Thr
 545 550 555 560
 Ser Ile Arg Ser Leu Pro Asn Gln Leu Cys Lys Leu Gln Asn Leu Gln
 565 570 575
 Thr Leu Asp Leu His Gly Cys His Ser Leu Cys Cys Leu Pro Lys Glu
 580 585 590
 Thr Ser Lys Leu Gly Ser Leu Arg Asn Leu Leu Leu Asp Gly Cys Tyr

595	600	605
Gly Leu Thr Cys Met Pro	Pro Arg Ile Gly Ser	Leu Thr Cys Leu Lys
610	615	620
Thr Leu Ser Arg Phe Val	Val Gly Ile Gln Lys	Lys Ser Cys Gln Leu
625	630	635 640
Gly Glu Leu Arg Asn Leu	Asn Leu Tyr Gly Ser	Ile Glu Ile Thr His
645	650	655
Leu Glu Arg Val Lys Asn	Asp Met Asp Ala Lys	Glu Ala Asn Leu Ser
660	665	670
Ala Lys Glu Asn Leu His	Ser Leu Ser Met Lys	Trp Asp Asp Asp Glu
675	680	685
Arg Pro Arg Ile Tyr Glu	Ser Glu Lys Val Glu	Val Leu Glu Ala Leu
690	695	700
Lys Pro His Ser Asn Leu	Thr Cys Leu Thr Ile	Arg Gly Phe Arg Gly
705	710	715 720
Ile Arg Leu Pro Asp Trp	Met Asn His Ser Val	Leu Lys Asn Val Val
725	730	735
Ser Ile Glu Ile Ile Ser	Cys Lys Asn Cys Ser	Cys Leu Pro Pro Phe
740	745	750
Gly Glu Leu Pro Cys Leu	Lys Ser Leu Glu Leu	Trp Arg Gly Ser Ala
755	760	765
Glu Val Glu Tyr Val Asp	Ser Gly Phe Pro Thr	Arg Arg Arg Phe Pro
770	775	780
Ser Leu Arg Lys Leu Asn	Ile Arg Glu Phe Asp	Asn Leu Lys Gly Leu
785	790	795 800
Leu Lys Lys Glu Gly Glu	Glu Gln Cys Pro Val	Leu Glu Glu Ile Glu
805	810	815
Ile Lys Cys Cys Pro Met	Phe Val Ile Pro Thr	Leu Ser Ser Val Lys
820	825	830
Lys Leu Val Val Ser Gly	Asp Lys Ser Asp Ala	Ile Gly Phe Ser Ser
835	840	845

Ile Ser Asn Leu Met Ala Leu Thr Ser Leu Gln Ile Arg Tyr Asn Lys
 850 855 860

Glu Asp Ala Ser Leu Pro Glu Glu Met Phe Lys Ser Leu Ala Asn Leu
 865 870 875 880

Lys Tyr Leu Asn Ile Ser Phe Tyr Phe Asn Leu Lys Glu Leu Pro Thr
 885 890 895

Ser Leu Ala Ser Leu Asn Ala Leu Lys His Leu Glu Ile His Ser Cys
 900 905 910

Tyr Ala Leu Glu Ser Leu Pro Glu Glu Gly Val Lys Gly Leu Ile Ser
 915 920 925

Leu Thr Gln Leu Ser Ile Thr Tyr Cys Glu Met Leu Gln Cys Leu Pro
 930 935 940

Glu Gly Leu Gln His Leu Thr Ala Leu Thr Asn Leu Ser Val Glu Phe
 945 950 955 960

Cys Pro Thr Leu Ala Lys Arg Cys Glu Lys Gly Ile Gly Glu Asp Trp
 965 970 975

Tyr Lys Ile Ala His Ile Pro Arg Val Phe Ile Tyr
 980 985